TURNER BROS. NURSERY

Monmouth Road
Route N.J. 71

West Long Branch
New Jersey

CApital 9-2587 9-2588



LANDSCAPE SERVICE

Estimates and plans submitted for all types of plantings.

For full information see page 1.

FALL 1957



Landscape Service

We are well equipped with material and trained men to give our usual care and attention to your planting requirements.

Phone CApital 9-2587 for an appointment so that we may call on you to make suggestions.

When plans are necessary a moderate charge will be made, which will be credited to the customer's account when the order is placed.

Plant Market

We have a plant market near our office, primarily for customers who wish to buy plants to take home and plant themselves.

This market will be stocked with most varieties listed in the catalog ready to be put right in your car. All plants will be labeled and priced. You will be able to make your selection without waiting.

Replacement Policy

Plant material not living one year after planting will be replaced once at ½ cost plus labor charges — provided the account is paid within 60 days from the date of billing or agreed upon terms of sale, and provided the plants have received proper care.

Contents

| EVERG | REEN | s - | - | - | - | - | | - | - | - | - | Page | 3 |
|--------|-------|------|-----|----|-----|----|----|----------|----|----|---|------|----|
| BROAD- | LEAV | ED | EV | E | RGI | RE | EN | S | | | - | Page | 7 |
| FLOWE | RING | SHF | tU1 | BS | | - | | | - | - | - | Page | 10 |
| FLOWE | RING | & O | RN | AN | Æ | NT | AL | T | RE | ES | | Page | 15 |
| SHADE | TREE | ES - | - | - | - | - | | | | | | Page | 18 |
| HARDY | PERI | ENNI | AI | S | an | d | | | | | | | |
| ROCK | PLA | NTS | | - | - | - | - | - | - | | - | Page | 20 |
| HARDY | VINE | ES - | | - | - | | | - | | | | Page | 29 |
| GROUNI | o cov | ERS | | - | - | - | | - | | - | | Page | 29 |
| ROSES | | | | | | | | | | - | | Page | 30 |
| CLIMBI | NG RO | SES | | | | | | | | | | Page | 31 |
| HARDY | | | | | | | | | | | | | |


DIRECTIONS TO GET TO OFFICE OF NURSERY

Consult Map Below

You will notice that the office is located approximately 400 yards South of the circle on Rt. No. 71 and Monmouth Parkway, which leads to the Race Track.

The Nursery is located 6 miles South of Red Bank, N. J., 6 miles North of Asbury Park and 15 miles East of Freehold.

If using the Garden State Parkway, leave at Exit No. 105 in Eatontown.



EVERGREENS

| Abies concolor (White Fir). A bluish green coni | cal |
|---|--|
| evergreen. Quite symmetrical in shape and co | m- |
| 4½ to 5 ft. B&B | ΩΩ |
| 5 to 5½ ft. B&B 24 | .00 |
| 6 to 7 ft. B&B | .00 |
| BIOTA orientalis elegantissima (Yellow Colum | nn |
| Arborvitae). Narrow pyramid of yellow suffus with green. | ed |
| 6 to 8 ft. B&B 20 | 00 |
| B. orientalis aurea nana (Oriental Arborvitae). Co | |
| pact ovals becoming reddish brown and gold | m- en |
| tipped in the winter. | |
| 12 to 15 in. B&B | .50 |
| 41/ / 2 | .50 .50 |
| JUNIPERUS chinensis Pfitzeriana (Pfitzer Junipe | - |
| Grey-green leathery foliage, broad bushy sprea | r). |
| ing habit. | .u |
| 2½ to 3 ft. B&B | |
| 100 072 10. 1001 | |
| J. chinensis Pfitzeriana compacta (Compact Pfitzer Dwarf compact form of Pfitzer Juniper. | r). |
| | 00 |
| | 00 |
| J. chinensis sargenti (Sargent's Juniper). Prostra habit. Grass green foliage. A valuable grou | ite |
| habit. Grass green foliage. A valuable grou | nd |
| cover and rock plant. 15 to 18 in. B&B | 50 |
| | 00 |
| J. horizontalis plumosa. 1-2 ft. (Andorra Creepi | |
| Juniper). Silver green in summer, lavender | ne. |
| | in |
| winter. Compact. | in |
| winter. Compact. 1½ to 2 ft. B&B | in 00 |
| winter. Compact. 1½ to 2 ft. B&B | in |
| winter. Compact. 1½ to 2 ft. B&B | in 00 50 00 |
| winter. Compact. 1½ to 2 ft. B&B | in 00 50 00 ra- |
| winter. Compact. 1½ to 2 ft. B&B | in 00 50 00 ra- |
| winter. Compact. 1½ to 2 ft. B&B | in 00 50 00 ra- 50 |
| winter. Compact. 1½ to 2 ft. B&B | in 00 50 00 ra- 50 00 50 |
| winter. Compact. 1½ to 2 ft. B&B | in 00 50 00 ra- 50 00 |
| winter. Compact. 1½ to 2 ft. B&B | in 00 50 00 ra- 50 00 50 ee, |
| winter. Compact. 1½ to 2 ft. B&B | in 00 50 00 ra- 50 00 ee, nd |
| winter. Compact. 1½ to 2 ft. B&B | in 00 50 00 ra- 50 00 50 ee, and |
| winter. Compact. 1½ to 2 ft. B&B | in 00 50 00 ra- 50 00 50 ee, nd 50 |
| winter. Compact. 1½ to 2 ft. B&B | in 00 50 00 ra- 50 00 50 ee, nd 50 00 see, |
| winter. Compact. 1½ to 2 ft. B&B | in 00 50 00 00 ra- 50 00 50 ee,d 50 00 see,e.d 50 00 00 00 00 00 00 00 00 00 |
| winter. Compact. 1½ to 2 ft. B&B | in 00 50 00 00 ra- 50 00 60 60 60 60 60 60 60 60 6 |
| winter. Compact. 1½ to 2 ft. B&B | in 00 50 00 ra-50 00 50 see, and 50 00 00 00 00 00 00 |
| winter. Compact. 1½ to 2 ft. B&B | in 00 50 00 00 50 00 50 60 60 60 60 60 60 60 60 60 6 |
| winter. Compact. 1½ to 2 ft. B&B | in 00 50 00 00 50 00 50 60 60 60 60 60 60 60 60 60 6 |
| winter. Compact. 1½ to 2 ft. B&B | in 00 50 00 ra-50 00 50 ee, and 50 00 oo sil-00 00 oo sil- |
| winter. Compact. 1½ to 2 ft. B&B | in 00 50 00 ra- 50 00 50 ee, d 50 00 00 se 1e. 00 00 00 sil- 00 00 00 00 00 00 00 00 00 00 00 00 00 |

| 4 | | | | | | | 1 UILIV. | 2216 3 | <u>J100</u> . |
|----|-------------------------------------|-------|----------------|-------------|---------------|-------------|---|--------|-----------------|
| J. | virgin | iana | gl | obos | a. (G | lobe | Junipers |). | Light |
| | green i | 40 | 91/ | ft | | | | | 12.00 |
| J. | virgini | ana | scho | tti (| Schott | t Red | Cedar). 1 | 8 to | 20 ft. |
| | Occasio | nal | trim | min | g mal | ces a | handsom | ie co | lumn |
| | of this | bri | ght | gree | n-folia | aged, | compactly | y gro | owing |
| | Red Ce | | | CL | D O D | | | | 10.00 |
| | $\frac{3\frac{1}{2}}{4\frac{1}{2}}$ | | 4 | ft. | B&B B&B | | | | 12.00 |
| | 5 | to | | ft. | | | | | 14.00 |
| Di | - | | | | | | Old favor | | |
| r | mas Tr | ee. | | | | | | | |
| | 2 | to | | ft. | B&B | | | | $6.00 \\ 12.00$ |
| | $\frac{3}{4}$ | to | | | B&B B&B | | | | 18.00 |
| | 5 | to | | ft. | B&B | | | | 26.00 |
| P | . punge | ens. | 70-8 | 0 ft | (Co | lorad | o Spruce |). A | bold |
| | native | Spri | ice ' | with | dull | gray-g | reen thic | k ne | edles. |
| | Quite s | ymr | netri | cal | and ha | andsor | me when | youn | g, but |
| | become | es p | ictur | esqu | ie in | old a | ge when | the | lower |
| | branch | | | pear ft. | B&B | | | | 9.00 |
| | $\frac{2\frac{1}{2}}{3}$ | to | 31/2 | | B&B | | | | 12.00 |
| | $\frac{3}{3}\frac{1}{2}$ | to | 4 | | B&B | | | | 14.00 |
| | 4 | to | | | B&B | | | | 16.00 |
| | $4\frac{1}{2}$ | to | 5 | ft. | B&B | | | | 18.00 |
| | 5 | to | $5\frac{1}{2}$ | | B&B | | | | 24.00 |
| | $5\frac{1}{2}$ | | 6 | | | | | | 28.00 |
| n | 6 | to | 7 | | B&B | Dl11 | o Comico) | Imi | 32.00 |
| P | trees o | | | | | Very | e Spruce) silvery bl | ne fo | liage |
| | 2 | to | 21/2 | ft. | B&B | | Silvery bi | | 12.00 |
| | $\frac{2}{2}\frac{1}{2}$ | to | 3 | ft. | B&B | | | | 16.00 |
| | 3 | to | | ft. | B&B | | | | 20.00 |
| | $3\frac{1}{2}$ | to | 4 | ft. | | | | | 24.00 |
| | 4 | to | | ft. | | | | | 28.00 |
| | 41/2 | to | 5 | ft. | B&B | | | | 32.00 |
| | $\frac{5}{5\frac{1}{2}}$ | to | 6 | ft. ft | B&B B&B | | | | 36.00 40.00 |
| | 6 | to | 61/2 | | B&B | | | | 45.00 |
| D | • | | | | | | s Stone F | | |
| r | Evergr | een | Slo | M & | rowing | so it | may be s | afela | used |
| | in low | pla | ntine | gs. (| Genera | ally se | en as a | blunt | com- |
| | pact p | yraı | nid | clot | hed i | n sof | t texture entually | d co | at of |
| | bluish- | gree | n n | eedl | es, bu | it eve | entually 1 | oecor | nes a |
| | picture | | e roi | ind | topped B&B | a tree | | | 19 00 |
| | 3 | to | | ft. | B&B | | | | 12.00 15.00 |
| | 31/2 | to | | | | | | | |
| | - /- | to | | | | | | | 21.00 |
| | $5\frac{1}{2}$ | to | 5 | ft. | B&B | | | | 24.00 |
| P | | | ustr | ian | Pine) | . A | fast groy | ving, | dark |
| | | bro | ad | tree | , with | l lon | g stiff d | ark | green |
| | needle | s. | 4 | ft | в&в | | | | 13.00 |
| | 4 | to | 5 | ft. | B&B | *********** | | | 20.00 |
| | 5 | to | 6 | | B&B | | | | 28.00 |
| | 6 | to | 7 | ft. | B&B | | | | 36.00 |
| P | . thunb | ergi, | 60- | 70 f | t. (Jar | oanese | Black P | ine). | Well |
| | sheare | d pla | ants | with | long | glossy | dark gre | en ne | eedles |
| | and ha | nds | ome | wide | e spre | ading | branches | mak | e this |
| | nardy resista | plai | nt a | ter | erul k | oraei | r evergre | en. | Very |
| | resista. | nt to | 4 | | B&B | | *************************************** | | 13.00 |
| | 4 | to | 5 | ft. | B&B | | | | 18.00 |
| | 6 | to | 7 | - | B&B | | | | 36.00 |
| | | | | | | | | | |

| green pyramid evergreen, rapid growth. 2 to 3 ft. B&B | PSEUDOTSUGA | douglasi (Douglas Fir) | Grey- |
|---|---------------------|------------------------------|----------|
| 2 to 3 ft. B&B | | evergreen, rapid growth. | dicj |
| 4½ to 5 ft. B&B | | ft. B&B | |
| 5½ to 6 ft. B&B 32.00 7 to 8 ft. B&B 32.00 9 to 10 ft. B&B 32.00 RETINOSPORA obtusa crippsi (Cripps Golden Cypress). Slow growing evergreen with bright lemonyellow foliage, suffused green. 15 to 18 in. B&B 3.50 1½ to 2 ft. B&B 3.50 R. obtusa magnifica (Fleshy Hinoki Cypress). Lustrous green, fleshy leaves, pyramid shape. 3 to 3½ ft. B&B 14.00 4 to 5 ft. B&B 16.00 R. obtusa nana (Dwarf Hinoki Cypress). Dwarf compact with rich green foliage. 2½ to 3 ft. B&B 12.00 R. obtusa nana (Dwarf Hinoki Cypress). Dwarf compact with rich green foliage. 2½ to 3 ft. B&B 15.00 3½ to 4 ft. B&B 20.00 R. pisifera (Sawana Cypress). Dark green pyramid. 5 to 6 ft. B&B 20.00 R. pisifera (Golden Sawara Cypress). Golden-leaved form of above. 1½ to 2 ft. B&B 30.00 R. pisifera aurea (Golden Sawara Cypress). Golden-leaved form of above. 1½ to 2 ft. B&B 30.00 R. pisifera globosa nana (Globe Cypress). Dwarf globular form with dark green foliage all year. 15 to 8 ft. B&B 20.00 7 to 8 ft. B&B 30.00 R. pisifera globosa nana (Globe Cypress). Dwarf globular form with dark green foliage all year. 15 to 18 in. B&B 30.00 R. pisifera globosa nana (Globe Cypress). Dwarf globular form with dark green foliage all year. 15 to 18 in. B&B 30.00 R. pisifera globosa nana (Globe Cypress). Dwarf globular form with dark green foliage all year. 15 to 18 in. B&B 30.00 R. pisifera globosa nana (Globe Cypress). Dwarf globular form with dark green foliage all year. 15 to 18 in. B&B 30.00 R. plumosa (Plume Cypress). Soft feathery pyramids of fern-like green foliage. 5 to 6 ft. B&B 15.00 5 to 6 ft. B&B 15.00 18 to 2½ ft. B&B 5.00 18 to 24 in. B&B 9.00 2½ to 3 ft. B&B 9.00 2½ to 3 ft. B&B 9.00 2½ to 15 in. B&B 9.00 2½ to 15 in. B&B 9.00 2½ to 15 in. B&B 9.00 2½ to 2½ ft. B&B 9.00 2½ to 3 ft. B&B 9.00 | | C1 70 0 70 | |
| 7 to 8 ft. B&B 32.00 RETINOSPORA obtusa crippsi (Cripps Golden Cypress). Slow growing evergreen with bright lemonyellow foliage, suffused green. 15 to 18 in. B&B 3.50 1½ to 2 ft. B&B 4.50 2 to 2½ ft. B&B 6.00 R. obtusa magnifica (Fleshy Hinoki Cypress). Lustrous green, fleshy leaves, pyramid shape. 3 to 3½ ft. B&B 14.00 4 to 5 ft. B&B 16.00 R. obtusa nana (Dwarf Hinoki Cypress). Dwarf compact with rich green foliage. 2½ to 3 ft. B&B 12.00 R. obtusa nana (Dwarf Hinoki Cypress). Dwarf compact with rich green foliage. 2½ to 3 ft. B&B 15.00 3½ to 4 ft. B&B 20.00 R. pisifera (Sawana Cypress). Dark green pyramid. 5 to 6 ft. B&B 15.00 6 to 7 ft. B&B 20.00 R. pisifera (Sawana Cypress). Dark green pyramid. 5 to 6 ft. B&B 30.00 R. pisifera (B&B 30.00 R. pisifera aurea (Golden Sawara Cypress). Golden-leaved form of above. 1½ to 2 ft. B&B 30.00 R. pisifera aurea (Golden Sawara Cypress). Golden-leaved form of above. 1½ to 2 ft. B&B 30.00 R. pisifera globosa nana (Globe Cypress) Dwarf globular form with dark green foliage all year. 15 to 18 in. B&B 20.00 R. pisifera globosa nana (Globe Cypress). Dwarf globular form with dark green foliage all year. 15 to 18 in. B&B 30.00 R. pisifera globosa nana (Globe Cypress). Soft feathery pyramids of fern-like green foliage. 2½ to 2½ ft. B&B 30.00 R. pisifera globosa nana (Globe Cypress). Soft feathery pyramids of fern-like green foliage. 5 to 6 ft. B&B 5.00 R. plumosa (Plume Cypress). Soft feathery pyramids of fern-like green foliage. 5 to 6 ft. B&B 5.00 18 to 24 in. B&B 5.00 R. plumosa (Plume Cypress). Soft feathery pyramids of fern-like green foliage. Valuable for low plantings. 12 to 15 in. B&B 5.00 15 to 18 in. B&B 5.00 15 to 18 in. B&B 5.00 16 to 7 ft. B&B 5.00 17 to 8 in. B&B 5.00 18 to 24 in. B&B 5.00 19 to 2½ ft. B&B 5.00 10 to 2½ ft. B&B 5.00 10 to 2½ ft. B&B 5.00 11 to 2½ ft. B&B 5.00 12 to 2½ ft. B&B 5.00 13 to 2½ ft. B&B 5.00 14 to 2½ ft. B&B 5.00 15 to 18 in. B&B 5.00 16 to 7 ft. B&B 5.00 17 to 8 ft. B&B 5.00 18 to 24 in. | | 01 707 | |
| ### RETINOSPORA obtusa crippsi (Cripps Golden Cypress). Slow growing evergreen with bright lemonyellow foliage, suffused green. 15 | 7 to 8 | 61 707 | |
| priess) slow growing evergreen with bright lemonyellow foliage, suffused green. 15 to 18 in. B&B | 9 to 10 | CI DOD | |
| priess) slow growing evergreen with bright lemonyellow foliage, suffused green. 15 to 18 in. B&B | RETINOSPORA | obtusa crippsi (Cripps Gold | den Cv- |
| 15 | press). Slow gr | 'OWING evergreen with bright | lemon- |
| 1½ to 2 ft. B&B 6.00 R. obtusa magnifica (Fleshy Hinoki Cypress). Lustrous green, fleshy leaves, pyramid shape. 3 to 3½ ft. B&B 14.00 4 to 5 ft. B&B 20.00 R. obtusa nana (Dwarf Hinoki Cypress). Dwarf compact with rich green foliage. 2½ to 3 ft. B&B 15.00 3½ ft. B&B 12.00 3½ ft. B&B 15.00 3½ ft. B&B 15.00 3½ ft. B&B 20.00 R. obtusa nana (Dwarf Hinoki Cypress). Dwarf compact with rich green foliage. 2½ to 3 ft. B&B 20.00 R. pisifera (Sawana Cypress). Dark green pyramid. 5 to 6 ft. B&B 24.00 R. pisifera (Sawana Cypress). Dark green pyramid. 5 to 6 ft. B&B 20.00 7 to 8 ft. B&B 20.00 8 to 10 ft. B&B 20.00 R. pisifera aurea (Golden Sawara Cypress). Golden-leaved form of above. 1½ to 2 ft. B&B 38.00 R. pisifera aurea (Golden Sawara Cypress). Golden-leaved form of above. 1½ to 2 ft. B&B 3.00 6 to 7 ft. B&B 3.00 R. pisifera foliage 15.00 6 to 7 ft. B&B 3.00 R. pisifera foliage 15.00 6 to 7 ft. B&B 3.00 R. pisifera globosa nana (Globe Cypress). Dwarf globular form with dark green foliage all year. 15 to 18 in. B&B 3.00 R. pisifera globosa nana (Globe Cypress). Dwarf globular form with dark green foliage all year. 15 to 18 in. B&B 3.00 R. plumosa (Plume Cypress). Soft feathery pyramids of fern-like green foliage. 5 to 6 ft. B&B 15.00 6 to 7 ft. B&B 5.00 2½ to 3 ft. B&B 5.00 TAXUS baccata repandens (Spreading English Yew). Spreading horizontal branches, dark green foliage. Valuable for low plantings. 12 to 15 in. B&B 5.00 15 to 18 in. B&B 5.00 16 to 2½ ft. B&B 9.00 2 to 2½ ft. B&B 9.00 3 to 3½ ft. B&B 9.00 3 to 3½ ft. B&B 9.00 2 to 2½ ft. B&B 9.00 3 to 3½ ft. B&B 9.00 3 to 3½ ft. B&B 9.00 2 to 2½ ft. B&B 9.00 3 to 3½ ft. B&B 9.00 3 to 3½ ft. B&B 9.00 4 to | yenow foliage, | suffused green. | |
| 2 to 2½ ft. B&B 6.00 R. obtusa magnifica (Fleshy Hinoki Cypress). Lustrous green, fleshy leaves, pyramid shape. 3 to 3½ ft. B&B 16.00 4 to 5 ft. B&B 16.00 5 to 6 ft. B&B 20.00 R. obtusa nana (Dwarf Hinoki Cypress). Dwarf compact with rich green foliage. 2½ to 3 ft. B&B 12.00 3 to 3½ ft. B&B 15.00 3½ to 4 ft. B&B 20.00 4½ to 5 ft. B&B 20.00 R. pisifera (Sawana Cypress). Dark green pyramid. 5 to 6 ft. B&B 20.00 6 to 7 ft. B&B 20.00 7 to 8 ft. B&B 30.00 R. pisifera aurea (Golden Sawara Cypress). Golden-leaved form of above. 1½ to 2 ft. B&B 3.00 R. pisifera aurea (Golden Sawara Cypress). Golden-leaved form of above. 1½ to 2 ft. B&B 3.00 R. pisifera aurea (Golden Sawara Cypress). Golden-leaved form of above. 1½ to 2 ft. B&B 3.00 R. pisifera ft. B&B 3.00 R. pisifera globosa nana (Globe Cypress). Dwarf globular form with dark green foliage all year. 15 to 18 in. B&B 3.00 R. pisifera globosa nana (Globe Cypress). Dwarf globular form with dark green foliage all year. 15 to 18 in. B&B 3.00 R. pisifera globosa nana (Globe Cypress). Dwarf globular form with dark green foliage all year. 15 to 18 in. B&B 3.00 R. plumosa (Plume Cypress). Soft feathery pyramids of fern-like green foliage. 5 to 6 ft. B&B 5.00 2½ to 3 ft. B&B 5.00 TAXUS baccata repandens (Spreading English Yew). Spreading horizontal branches, dark green foliage. 5 to 6 ft. B&B 5.00 15 to 18 in. B&B 9.00 TAXUS baccata repandens (Spreading English Yew). Spreading horizontal branches, dark green foliage. 5 to 6 ft. B&B 9.00 7 to 8 ft. B&B 9.00 8 to 9.2½ ft. B&B 9.00 9 to 1½ ft. B&B 9.00 10 to 12½ ft. B&B 9.00 | | 0 | |
| R. obtusa magnifica (Fleshy Hinoki Cypress). Lustrous green, fleshy leaves, pyramid shape. 3 to 3½ ft. B&B | | | |
| trous green, fleshy leaves, pyramid shape. 3 to 3½ ft. B&B | R. obtusa magni | fica (Fleshy Hinoki Cypress | s). Lus- |
| 3 to 3½ ft. B&B | trous green, flo | eshy leaves, pyramid shape. | |
| 5 to 6 ft. B&B | 3 10 3 1/2 | it. B&B | |
| R. obtusa nana (Dwarf Hinoki Cypress). Dwarf compact with rich green foliage. 2½ to 3 ft. B&B | = 00 0 | 0 | |
| 2½ to 3 ft. B&B 12.00 | R. obtusa nana (1 | Dwarf Hinoki Cypress) Dwa | rf com- |
| 3 to 3½ ft. B&B | pact with rien | green tollage. | |
| 3½ to 4 ft. B&B 20.00 4½ to 5 ft. B&B 24.00 R. pisifera (Sawana Cypress). Dark green pyramid. 5 to 6 ft. B&B 20.00 6 to 7 ft. B&B 20.00 7 to 8 ft. B&B 26.00 8 to 10 ft. B&B 30.00 10 to 12 ft. B&B 38.00 R. pisifera aurea (Golden Sawara Cypress). Golden-leaved form of above. 1½ to 2 ft. B&B 3.00 2 to 2½ ft. B&B 3.00 5 to 6 ft. B&B 3.00 6 to 7 ft. B&B 3.00 7 to 8 ft. B&B 3.00 8 to 9 ft. B&B 3.00 8 to 9 ft. B&B 3.00 R. pisifera globosa nana (Globe Cypress). Golden-leaved form with dark green foliage all year. 15 to 18 in. B&B 30.00 R. pisifera globosa nana (Globe Cypress). Dwarf globular form with dark green foliage all year. 15 to 18 in. B&B 3.00 18 to 24 in. B&B 4.00 2 to 2½ ft. B&B 3.00 R. plumosa (Plume Cypress). Soft feathery pyramids of fern-like green foliage. 5 to 6 ft. B&B 8.00 R. plumosa (Plume Cypress). Soft feathery pyramids of fern-like green foliage. 5 to 6 ft. B&B 8.00 TAXUS baccata repandens (Spreading English Yew). Spreading horizontal branches, dark green foliage. Valuable for low plantings. 12 to 15 in. B&B 5.00 15 to 18 in. B&B 5.00 15 to 18 in. B&B 9.00 2 to 2½ ft. B&B 7.50 | | | |
| R. pisifera (Sawana Cypress). Dark green pyramid. 5 to 6 ft. B&B | | C DAD | |
| R. pisifera (Sawana Cypress). Dark green pyramid. 5 to 6 ft. B&B | | CI DOD | |
| 5 to 6 ft. B&B 20.00 6 to 7 ft. B&B 20.00 7 to 8 ft. B&B 26.00 8 to 10 ft. B&B 30.00 10 to 12 ft. B&B 30.00 10 to 12 ft. B&B 38.00 R. pisifera aurea (Golden Sawara Cypress). Golden-leaved form of above. 1½ to 2 ft. B&B 3.00 2 to 2½ ft. B&B 4.00 5 to 6 ft. B&B 15.00 6 to 7 ft. B&B 20.00 7 to 8 ft. B&B 20.00 8 to 9 ft. B&B 30.00 R. pisifera globosa nana (Globe Cypress). Dwarf globular form with dark green foliage all year. 15 to 18 in. B&B 3.00 18 to 24 in. B&B 4.00 2 to 2½ ft. B&B 3.00 R. plumosa (Plume Cypress). Soft feathery pyramids of fern-like green foliage. 5 to 6 ft. B&B 15.00 6 to 7 ft. B&B 5.00 2½ to 3 ft. B&B 15.00 TAXUS baccata repandens (Spreading English Yew). Spreading horizontal branches, dark green foliage. Valuable for low plantings. 12 to 15 in. B&B 5.00 15 to 18 in. B&B 5.00 16 to 2½ ft. B&B 5.00 17 cuspidata (Spreading Japanese Yew). Rich dark green leaves. Spreading, bushy habit. 1½ to 2 ft. B&B 7.50 2 to 2½ ft. B&B 7.50 | | ana Cypress). Dark green p | vramid. |
| 7 to 8 ft. B&B | 5 to 6 | ft. B&B | |
| 8 to 10 ft. B&B 30.00 10 to 12 ft. B&B 38.00 R. pisifera aurea (Golden Sawara Cypress). Golden-leaved form of above. 1½ to 2 ft. B&B 3.00 2 to 2½ ft. B&B 4.00 5 to 6 ft. B&B 15.00 6 to 7 ft. B&B 20.00 7 to 8 ft. B&B 26.00 8 to 9 ft. B&B 30.00 R. pisifera globosa nana (Globe Cypress). Dwarf globular form with dark green foliage all year. 15 to 18 in. B&B 3.00 R. pisifera globosa nana (Globe Cypress). Dwarf globular form with dark green foliage all year. 15 to 18 in. B&B 3.00 R. plumosa (Plume Cypress). Soft feathery pyramids of fern-like green foliage. 5 to 6 ft. B&B 8.00 R. plumosa (Plume Cypress). Soft feathery pyramids of fern-like green foliage. 5 to 6 ft. B&B 15.00 6 to 7 ft. B&B 20.00 TAXUS baccata repandens (Spreading English Yew). Spreading horizontal branches, dark green foliage. Valuable for low plantings. 12 to 15 in. B&B 5.00 15 to 18 in. B&B 5.00 15 to 18 in. B&B 9.00 2 to 2½ ft. B&B 9.00 T. cuspidata (Spreading Japanese Yew). Rich dark green leaves. Spreading, bushy habit. 1½ to 2 ft. B&B 7.50 2 to 2½ ft. B&B 10.00 2½ to 3 ft. B&B 7.50 2 to 2½ ft. B&B 7.50 2 to 2½ ft. B&B 10.00 2½ to 3 ft. B&B 10.00 2½ to 3 ft. B&B 10.00 | | 0, 505 | |
| 10 to 12 ft. B&B | | 61 505 | |
| R. pisifera aurea (Golden Sawara Cypress). Golden- leaved form of above. 1½ to 2 ft. B&B | | 0. 707 | |
| 1½ to 2 ft. B&B 3.00 | | | |
| 2 to 2½ ft. B&B | leaved form of | above. | dolucii- |
| 5 to 6 ft. B&B | 1½ to 2 | ft. B&B | 3.00 |
| 6 to 7 ft. B&B | | CL DOD | |
| 7 to 8 ft. B&B | | CA DOD | |
| 8 to 9 ft. B&B | | ft DOD | |
| R. pisifera globosa nana globular form with dark green foliage all year. 15 to 18 in. B&B 3.00 18 to 24 in. B&B 4.00 2 to 2½ ft. B&B 5.00 2½ to 3 ft. B&B 8.00 R. plumosa (Plume Cypress). Soft feathery pyramids of fern-like green foliage. 5 to 6 ft. B&B 15.00 6 to 7 ft. B&B 20.00 TAXUS baccata repandens (Spreading English Yew). Spreading horizontal branches, dark green foliage. Valuable for low plantings. 12 to 15 in. B&B 5.00 15 to 18 in. B&B 5.00 15 to 18 in. B&B 9.00 2 to 2½ ft. B&B 12.00 T. cuspidata (Spreading Japanese Yew). Rich dark green leaves. Spreading, bushy habit. 1½ to 2 ft. B&B 7.50 2 to 2½ ft. B&B 10.00 2½ to 3 ft. B&B 10.00 2½ to 3 ft. B&B 12.00 | | CI DOD | |
| globular form with dark green foliage all year. 15 to 18 in. B&B | R. pisifera globo | sa nana (Globe Cypress). | |
| 18 to 24 in. B&B | globular form | with dark green foliage all | year. |
| 2 to 2½ ft. B&B 5.00 2½ to 3 ft. B&B 8.00 R. plumosa (Plume Cypress). Soft feathery pyramids of fern-like green foliage. 5 to 6 ft. B&B 15.00 6 to 7 ft. B&B 20.00 TAXUS baccata repandens (Spreading English Yew). Spreading horizontal branches, dark green foliage. Valuable for low plantings. 12 to 15 in. B&B 5.00 15 to 18 in. B&B 6.50 18 to 24 in. B&B 9.00 2 to 2½ ft. B&B 12.00 T. cuspidata (Spreading Japanese Yew). Rich dark green leaves. Spreading, bushy habit. 1½ to 2 ft. B&B 7.50 2 to 2½ ft. B&B 10.00 2½ to 3 ft. B&B 10.00 2½ to 3 ft. B&B 10.00 | | | |
| 2½ to 3 ft. B&B 8.00 R. plumosa (Plume Cypress). Soft feathery pyramids of fern-like green foliage. 5 to 6 ft. B&B 15.00 6 to 7 ft. B&B 20.00 TAXUS baccata repandens (Spreading English Yew). Spreading horizontal branches, dark green foliage. Valuable for low plantings. 12 to 15 in. B&B 5.00 15 to 18 in. B&B 6.50 18 to 24 in. B&B 9.00 2 to 2½ ft. B&B 12.00 T. cuspidata (Spreading Japanese Yew). Rich dark green leaves. Spreading, bushy habit. 1½ to 2 ft. B&B 7.50 2 to 2½ ft. B&B 10.00 2½ to 3 ft. B&B 12.00 | | CI TO C TO | |
| R. plumosa (Plume Cypress) Soft feathery pyramids of fern-like green foliage. 5 to 6 ft. B&B 15.00 6 to 7 ft. B&B 20.00 TAXUS baccata repandens (Spreading English Yew). Spreading horizontal branches, dark green foliage. Valuable for low plantings. 12 to 15 in. B&B 5.00 15 to 18 in. B&B 6.50 18 to 24 in. B&B 9.00 2 to 2½ ft. B&B 12.00 T. cuspidata (Spreading Japanese Yew). Rich dark green leaves. Spreading, bushy habit. 1½ to 2 ft. B&B 7.50 2 to 2½ ft. B&B 10.00 2½ to 3 ft. B&B 12.00 | | 0, 707 | |
| mids of fern-like green foliage. 5 to 6 ft. B&B | R. plumosa (Plui | me Cypress). Soft feather | nyra. |
| 5 to 6 ft. B&B | mids of fern-lik | ke green foliage. | pyra- |
| TAXUS baccata repandens (Spreading English Yew). Spreading horizontal branches, dark green foliage. Valuable for low plantings. 12 to 15 in. $B\&B$ 5.00 15 to 18 in. $B\&B$ 6.50 18 to 24 in. $B\&B$ 9.00 2 to $2\frac{1}{2}$ ft. $B\&B$ 12.00 T. cuspidata (Spreading Japanese Yew). Rich dark green leaves. Spreading, bushy habit. $1\frac{1}{2}$ to 2 ft. $B\&B$ 7.50 2 to $2\frac{1}{2}$ ft. $B\&B$ 10.00 $2\frac{1}{2}$ to 3 ft. $B\&B$ 12.00 | 5 to 6 | ft. B&B | |
| Spreading horizontal branches, dark green foliage. Valuable for low plantings. 12 to 15 in. B&B 5.00 15 to 18 in. B&B 6.50 18 to 24 in. B&B 9.00 2 to 2½ ft. B&B 12.00 T. cuspidata (Spreading Japanese Yew). Rich dark green leaves. Spreading, bushy habit. 1½ to 2 ft. B&B 7.50 2 to 2½ ft. B&B 10.00 2½ to 3 ft. B&B 12.00 | | | |
| Valuable for low plantings. 12 to 15 in. B&B 5.00 15 to 18 in. B&B 6.50 18 to 24 in. B&B 9.00 2 to $2\frac{1}{2}$ ft. B&B 12.00 T. cuspidata (Spreading Japanese Yew). Rich dark green leaves. Spreading, bushy habit. $1\frac{1}{2}$ to 2 ft. B&B 7.50 2 to $2\frac{1}{2}$ ft. B&B 10.00 $2\frac{1}{2}$ to 3 ft. B&B 12.00 | TAXUS baccata re | epandens (Spreading English | Yew). |
| 12 to 15 in. B&B 5.00 15 to 18 in. B&B 6.50 18 to 24 in. B&B 9.00 2 to 2½ ft. B&B 12.00 T. cuspidata (Spreading Japanese Yew). Rich dark green leaves. Spreading, bushy habit. 1½ to 2 ft. B&B 7.50 2 to 2½ ft. B&B 10.00 2½ to 3 ft. B&B 12.00 | Valuable for les | contal branches, dark green | foliage. |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | | 5 00 |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | | | |
| T. cuspidata (Spreading Japanese Yew). Rich dark green leaves. Spreading, bushy habit. 1½ to 2 ft. B&B 7.50 2 to 2½ ft. B&B 10.00 2½ to 3 ft. B&B 12.00 | | in. B&B | |
| green leaves. Spreading, bushy habit. 1½ to 2 ft. B&B | | | |
| 1½ to 2 ft. B&B 7.50 2 to 2½ ft. B&B 10.00 2½ to 3 ft. B&B 12.00 | T. cuspidata (Spr | eading Japanese Yew). Ric | h dark |
| 2 to 2½ ft. B&B | green leaves. S | preading, bushy habit. | |
| 2½ to 3 ft. B&B | | 01 70 0 70 | |
| 0 / 01/ 0/ 707 | 2½ to 3 | | |
| | 3 to $3\frac{1}{2}$ | CI DOD | 14.00 |
| 3½ to 4 ft. B&B | | | 18.00 |
| 4 to 4½ ft. B&B 24.00 | 4 to 4½ | п. в&в | 24.00 |

| 0 | | | | | | |
|---------------------------|-------------|--------------------------|-------------|------------|---|----------------|
| mida | 4. | oonit. | oto | (A tre | ee form Japanese | Yew). |
| T. cuspida | the | capit | ala et n | onula | r of all evergreen | s. ex- |
| tromoly | hat | rdv | A d | ark g | reen symmetrical. | proau |
| nvramid | Т | his v | arie | tv ma | ikes a distinctive h | iedge. |
| 15 | to 1 | 18 | in. | B&B | | 4.00 |
| | to 2 | 24 | in. | B&B | | 6.00 |
| | to | 21/2 | ft. | | | 7.50 |
| 21/2 | to | 3 | | B&B | | 9.00 |
| 3 | to | $3\frac{1}{2}$ | | B&B | •••••• | 12.00 |
| | to | $4\frac{1}{2}$ | | B&B | | 20.00 |
| | to | 5 | | B&B | | 24.00 |
| | to | $5\frac{1}{2}$ | | B&B | •••••• | 30.00 36.00 |
| - , - | to | 6 | | B&B | ••••• | |
| T. cuspida | ıta | brevi | folia | (Dw | arf Japanese Yew). | Slow |
| growing | , d | ark | gree | n foli | age, irregular spre | eading |
| habit. | | | | D 0 D | | 6.00 |
| | to | | | B&B | | 7.50 |
| | to . | | | B&B | • | 9.00 |
| | to | 2 | | B&B | ••••• | 12.00 |
| _ | to | $2\frac{1}{2}$ | | В&В | | |
| T. media | bro | wni (| Bro | wn Ye | w). A dark green v | ariety |
| with a | den | se ha | abit | that c | ean be easily trimn | iea to |
| a globe | | | | DOD | | 6 00 |
| 15 | to | | in. | B&B | | 6.00 7.50 |
| $\frac{1}{2}$ | to | 2 | ft. | B&B B&B | | 10.00 |
| $2 \\ 2\frac{1}{2}$ | to to | $\frac{2\frac{1}{2}}{3}$ | ft. | B&B | *************************************** | 16.00 |
| | | - | | | *************************************** | |
| T. media | ha | tfield | i (E | Iatfield | d Yew). Dwarf, co | mpact |
| | | | rk g | reen | foliage. | 4.00 |
| 12 | to | | | B&B | | 4.00 5.00 |
| 15 | to | | in. | B&B | | 6.50 |
| 18 | to | | in. | B&B B&B | | 8.00 |
| $2 \\ 2\frac{1}{2}$ | to to | $\frac{2\frac{1}{2}}{3}$ | ft. | B&B | | 10.00 |
| - · - | | _ | | | | |
| T. media | hic | KSI (| Hick | ks Ye | w). Dark green col nches. Very usef | ull for |
| form v hedges. | VIU. | up. | rigii | t bran | iches. Very user | ui ioi |
| neages. | | 12 | in. | в&в | | 2.75 |
| 12 | | 15 | in. | B&B | | 3.50 |
| 15 | | | in. | B&B | | 4.50 |
| 11/2 | to | 2 | ft. | B&B | | 6.50 |
| 2 | to | 21/2 | | B&B | | 7.50 |
| $\frac{1}{2}\frac{1}{2}$ | to | 3 | ft. | B&B | | 10.00 |
| 3 | to | 31/2 | | B&B | | 14.00 |
| T hiham | ion | (Tric | h V | ow) 1 | Dwarf, narrow colu | mns of |
| dark g | | | 11 1 | CW). 1 | owari, narrow coru | iiiis Oi |
| | to | | in. | B&B | | 6.00 |
| 11/2 | to | 2 | ft. | B&B | | 7.00 |
| 2 | to | 21/2 | | B&B | *************************************** | 10.00 |
| $\overline{2}\frac{1}{2}$ | to | 3 | ft. | B&B | | 13.00 |
| | | | | | | |
| THUJA | giga | antea | (G | iant A | rborvitae). Fast g | rowing |
| column | ar | arbo | rvita | e, wit | th glossy green fol | iage. |
| 21/2 | | | | B&B | | 5.00 |
| $3\frac{1}{2}$ | to | 4 | ft. | B&B | | 8.00 |
| T osside | nto | lis (| Ame | rican | Arborvitae). Broad | colum- |
| ner tr | nud op 1 | with | soft | greet | foliage. Good for | r inex- |
| pensiv | | | | 81001 | 1 1011ugo. Good 10 | - IIIOA- |
| 4 | to | 5 | ft. | B&B | •••• | 8.00 |
| 5 | to | 6 | ft. | B&B | | 12.00 |
| 6 | to | | ft. | B&B | | 15.00 |
| 7 | to | _ | ft. | B&B | | 18.00 |
| 8 | to | 9 | | B&B | | |
| | | | | | | |

| 10101111 | · DI | COD. | | | | |
|--|--------------------|-------------------------------|---------------------|--------------------------|--|---------------------------|
| l'. occide | nta | lis e | lega | ntissi | na (Goldentipped | Arbor- |
| vitae). | AI | ovrai | nid | form. | the spring foliage | tipped |
| with g | old. | | | , | | |
| 18 | to | 24 | in. | B&B | *************************************** | 3.00 |
| 4 | to | 5 | ft. | B&B | | 12.00 |
| 5 | to | 6 | ft. | B&B | | 15.00 |
| f. occide | ntal | is he | vey | i (Ho | vey Arborvitae). G | lobular |
| form v | vith | ligh | t gr | een fo | oliage. | |
| 10 | to | 12 | in. | | | 2.00 |
| 12 | to | 15 | in. | B&B | | 2.50 |
| 15 | to | 18 | in. | B&B | | 3.50 |
| 18 | to | 24 | in. | B&B | *************************************** | 5.00 |
| 2 | to | 21/2 | ft. | | | 9.00 |
| 1. occide | ental | lis lu | itea | (Geo: | rge Peabody Arbon | vitae). |
| Shapel | y bi | road- | base | ed pvr | amids of lustrous | green. |
| gold ti | ppe | d fol | iage | | | 0, |
| 15 | to | | | B&B | | 3.50 |
| 18 | to | 24 | in. | B&B | | 5.00 |
| T. occide | ental | lis p | yran | nidalis | (Pyramidal Arbor | vitae). |
| Pyram | id g | reen | col | umns | useful for hedges. | Most |
| popula | r of | all | upr | ight va | arieties. | |
| $1\frac{1}{2}$ | to | 2 | ft. | B&B | | 3.50 |
| 2 | to | $2\frac{1}{2}$ | ft. | B&B | | 4.50 |
| $2\frac{1}{2}$ | to | 3 | ft. | B&B | | 5.50 |
| 3 | to | 4 | ft. | B&B | *************************************** | 6.00 |
| 4 | to | 5 | ft. | B&B | | 7.50 |
| 5 | to | 6 | ft. | B&B | | 10.00 |
| 6 | to | 7 | ft. | В&В | | 14.00 |
| T. occide | enta | lis r | | ıthali | (Rosenthal Arbor | |
| Dense | gre | en c | olur | nns, p | yramidal in habit. | |
| $1\frac{1}{2}$ | to | 2 | ft. | B&B | *************************************** | 3.00 |
| 2 | to | $2\frac{1}{2}$ | ft. | B&B | *************************************** | 4.00 |
| $2\frac{1}{2}$ | to | 3 | ft. | B&B | *************************************** | 5.00 |
| $3\frac{1}{2}$ | to | 4 | ft. | B&B | *************************************** | 6.00 |
| 4 | to | 5 | ft. | B&B | *************************************** | 9.00 |
| 5 | to | 6 | ft. | B&B | *************************************** | 12.00 |
| 6 | to | 7 | ft. | | *************************************** | 15.00 |
| THUJA | occi | dent | alis | spiral | is. Pyramid gree | en col- |
| umns. | | | | | | |
| 3 | to | 4 | | | | 6.00 |
| 4 | to | 5 | | | | 7.50 |
| 5 | to | 6 | | | | 10.00 |
| 6 | to | 7 | ft. | | | 14.00 |
| T. occid | | | stai | ndishi | (Standish Arbor | vitae). |
| Forms | bro | ad p | yraı | nid, li | ght green foliage, | droop- |
| ing bra | | | ٥. | | | |
| 3 | to | 4 | ft. | B&B | •••••• | 6.00 |
| 4 | to | 5 | ft. | B&B | ••••• | 7.00 |
| 5 | to | | ft. | B&B | •••••• | 10.00 |
| 6 | to | 7 | ft. | B&B | •••••• | |
| TSUGA (| cana | dens | is (| Canad | ian Hemlock). A g | raceful |
| specim | en | with | SDI | eading | g horizontal branc | hes of |
| rich de | eep | gree | n fo | liage. | Makes a beautiful | speci- |
| | | | | | ful for hedges. | |
| 1½ | | 2 | | B&B | | 4.50 |
| 2 | to | $2\frac{1}{2}$ | ft. | B&B | | 7.00 |
| 21/2 | to | 3 | ft. | B&B | | 8.50 |
| 3 | to | 4 | ft. | B&B | | 12.00 |
| | | | 4.4 | B&B | | 24.00 |
| 5 | to | $5\frac{1}{2}$ | | | *************************************** | |
| _ | | | | | EVERGREEN | |
| BR | OA | D-L | .EA | VED | | S |
| BR ABELIA | OA gra | D-L | .EA | VED (Gloss | sy Abelia). 3 to 4 | ft. A |
| BR ABELIA dwarf | OA gra ever | D-L ndifl gree | EA ora n sh | (Gloss | sy Abelia). 3 to 4 ith lilac-white tinte | ft. A |
| BR ABELIA dwarf e ers blo | gra ever omi | D-L ndifl gree | EA ora n sh | (Gloss | sy Abelia). 3 to 4 | ft. A |
| BR ABELIA dwarf e ers blo foliage. | gra ever omi | D-L ndifl gree: ng a | ora n sh ll s | (Gloss rub w ummer | sy Abelia). 3 to 4 ith lilac-white tinte r. Beautiful glossy | ft. A d flow- green |
| BR ABELIA dwarf e ers blo foliage. | gra ever omi | D-L ndifl gree: ng a | ora n sh ll s | (Gloss | sy Abelia). 3 to 4 ith lilac-white tinte | ft. A |

| AZALEA amoena | (Amoena Azal | ea). 3 to 4 ft. One |
|----------------------------------|----------------------------------|--------------------------|
| of the hardiest | evergreen Azal | eas with purple-red |
| flowers. | CVCIBICON TILL | cus with purpose |
| 10 to 12 | in. B&B | 2.50 |
| 12 to 15 | in. B&B | 3.00 |
| 1½ to 2 | ft. B&B | |
| 2 to 2½ | | 12.00 |
| A Ponisini 4 to | 5 ft Similar | |
| A. Benigiri. 4 to | Dright rod | to Hinodegiri but |
| 15 to 18 | in. B&B | 6.00 |
| $1\frac{1}{2}$ to $1\frac{1}{2}$ | ft. B&B | 7.50 |
| | | |
| | | k flowers showing |
| against evergre | en foliage in M | lay. |
| 10 to 12 | in. B&B | 3.00 |
| 12 to 15 | in. B&B | 4.00 |
| A. Delaware Valle | ey White (Har | dy Indica). Large, |
| single, snow-wh | te blooms. Ev | ergreen. |
| 12 to 15 | in. spread B&F | 3 4.00 |
| A. Mrs. Fisher. | A beautiful p | ink variety. Very |
| hardy. | | |
| 8 to 10 | in. B&B | 2.50 |
| 10 to 12 | | 3.00 |
| 12 to 15 | in. B&B | |
| 15 to 18 | in. B&B | 6.00 |
| | | coppery suffus on. |
| Early. Of rathe | r unright grou | th, and one of the |
| hardiest evergr | | Ath, and one of the |
| 12 to 15 | in. B&B | 4.00 |
| 15 to 18 | | 5.00 |
| $1\frac{1}{2}$ to 2 | 0 | 7.50 |
| | | |
| A. ninodegeri (H | nodegeri Azaie | ea). 4 to 5 ft. Most |
| popular of all | Evergreen A | zaleas with bright |
| scarlet flowers | in appeal De-I | 3 1.35 |
| 6 to 8 8 to 10 | in. spread B&I | 3 2.00 |
| 10 to 12 | in. spread B&I in. spread B&I | 3 2.50 |
| 10 to 12 to 15 | in. spread B&I | 3.50 |
| 15 to 18 | in. spread B&I | 3 6.00 |
| 18 to 21 | in. spread B&E | 7.50 |
| 21 to 24 | in. spread B&E | 10.00 |
| A Hino Crimson | Deen crimson | which does not fade. |
| Hardiness equa | to the variety | Hinodegiri |
| 8 to 10 | in. B&B | 2.00 |
| 10 to 12 | in. B&B | |
| | | 3.50 |
| 15 to 18 | in. B&B | 6.00 |
| | now Azalea) | 4 to 5 ft. One of |
| the best whit | e flowering | evergreen Azaleas. |
| Large white flo | wers. Blooms t | wo weeks later than |
| the Kurume va | | INVOL WINII |
| 10 to 12 | | 2.50 |
| 12 to 15 | in. B&B | |
| | ft. B&B | 12.00 |
| | | ned variety in pink |
| shades. | | The second of the period |
| 12 to 15 | in. B&B | 3.00 |
| | | Alba but lilac m |
| color. | | |
| 12 to 15 | in. B&B | 3.50 |
| 15 to 18 | | 6.00 |
| 18 to 24 | | 7.50 |
| A. Mauve Beauty | | |
| 15 to 18 | | 4.50 |
| 18 to 24 | | 9.00 |
| 2 to 2½ | | 12.00 |
| | | |

| A | |
|--|--|
| A. macrantha. L. | ate flowering evergreen variety with |
| 15 to 19 | rs in late May throughout June. |
| 2½ to 3 | ft R&R 15 00 |
| A. mollis (Chine | in. B&B |
| venow and ora | ange nowers in way and line |
| 15 to 18 | in B&B 500 |
| A. Rosebud. Bo | eautiful pink flowers shaped like |
| miniature rose | |
| 8 to 10 | in. B&B |
| 10 to 12 | Early large pure white. in. B&B |
| | in. B&B 4.00 |
| | rgreen variety. Salmon color. |
| 6 to 8 | in. B&B 1.50 |
| 8 to 10 | in. B&B 2.50 |
| 10 to 12 | in. B&B |
| A. Snow (Kurur | ne). 3 ft A good attractive ever- which bears large clusters of |
| gleen sort, | ite flowers. Most nonular of all |
| white-flowered | ite flowers. Most popular of all varieties for forcing under glass. |
| 8 to 10 | in. B&B |
| | nnae (Wintergreen Barberry). 4 to |
| 5 ft Unright | evergreen shrub with spiny dark |
| green leaves. | bluish-black fruit. |
| 3 to 3½ | e ft. B&B 9.00 |
| RIIVIIS cuffrutio | eosa (Old English Boxwood). 3 to 4 |
| ft Slow growi | ing compact, sweetly fragrant, most |
| attractive. Ide | ing compact, sweetly fragrant, most al for edging. Does well in partial |
| shade. | each 10 100 |
| | |
| 4 to 6 | in. B&B —— 80.00 in. B&B 13.00 120.00 |
| 6 to 8 | |
| | |
| 9 to 12 | in. B&B 2.00 —— —— |
| 9 to 12 12 to 15 | in. B&B 2.00 — — — — in. B&B 2.60 — — |
| 9 to 12 12 to 15 15 to 18 | in. B&B 2.00 in. B&B 2.60 in. B&B 4.00 |
| 9 to 12 12 to 15 15 to 18 B. california (C | in. B&B 2.00 in. B&B 2.60 in. B&B 4.00 alifornia-type Boxwood). 4 to 5 ft. |
| 9 to 12 12 to 15 15 to 18 B. california (C | in. B&B 2.00 in. B&B 2.60 in. B&B 4.00 alifornia-type Boxwood). 4 to 5 ft. |
| 9 to 12 12 to 15 15 to 18 B. california (C A fairly fast foliage turning | in. B&B 2.00 in. B&B 2.60 in. B&B 4.00 alifornia-type Boxwood). 4 to 5 ft. growing variety with light green bronze in the winter. Not as compalish Boxwood. |
| 9 to 12 12 to 15 15 to 18 B. california (C A fairly fast foliage turning pact as the E 15 to 18 | in. B&B 2.00 in. B&B 2.60 alifornia-type Boxwood). 4 to 5 ft. growing variety with light green g bronze in the winter. Not as complish Boxwood. in B&B 4.00 |
| 9 to 12 12 to 15 15 to 18 B. california (C A fairly fast foliage turning pact as the E 15 to 18 | in. B&B 2.00 in. B&B 2.60 in. B&B 4.00 alifornia-type Boxwood). 4 to 5 ft. growing variety with light green bronze in the winter. Not as comaglish Boxwood. |
| 9 to 12 12 to 15 15 to 18 B. california (C A fairly fast foliage turning pact as the En 15 to 18 1½ to 2 COTONEASTER | in. B&B 2.00 in. B&B 2.60 in. B&B 4.00 alifornia-type Boxwood). 4 to 5 ft. growing variety with light green bronze in the winter. Not as complish Boxwood. in. B&B 4.00 ft. B&B 5.00 horizontalis (Rock Cotoneaster). |
| 9 to 12 12 to 15 15 to 18 B. california (C A fairly fast foliage turning pact as the Er 15 to 18 1½ to 2 COTONEASTER Ideal for roc | in. B&B 2.00 |
| 9 to 12 12 to 15 15 to 18 B. california (C A fairly fast foliage turning pact as the Er 15 to 18 1½ to 2 COTONEASTER Ideal for roce wood and brig | in. B&B 2.00 |
| 9 to 12 12 to 15 15 to 18 B. california (C A fairly fast foliage turning pact as the Er 15 to 18 1½ to 2 COTONEASTER Ideal for roce wood and brig | in. B&B 2.00 |
| 9 to 12 12 to 15 15 to 18 B. california (C A fairly fast foliage turning pact as the Er 15 to 18 1½ to 2 COTONEASTER Ideal for roc wood, and brig 18 to 24 2 to 214 | in. B&B 2.00 |
| 9 to 12 12 to 15 15 to 18 B. california (C A fairly fast foliage turning pact as the Ei 15 to 18 1½ to 2 COTONEASTER Ideal for roc wood, and brig 18 to 24 2 to 2½ 2½ to 3 | in. B&B 2.00 |
| 9 to 12 12 to 15 15 to 18 B. california (C A fairly fast foliage turning pact as the Et 15 to 18 1½ to 2 COTONEASTER Ideal for rock wood, and brig 18 to 24 2 to 2½ 2½ to 3 H.EX crenata | in. B&B 2.00 |
| 9 to 12 12 to 15 15 to 18 B. california (C A fairly fast foliage turning pact as the Er 15 to 18 1½ to 2 COTONEASTER Ideal for roc wood, and brig 18 to 24 2 to 2½ 2½ to 3 ILEX crenata Holly). 5 to 6 | in. B&B 2.00 |
| 9 to 12 12 to 15 15 to 18 B. california (C A fairly fast foliage turning pact as the Et 15 to 18 1½ to 2 COTONEASTER Ideal for roc wood, and brig 18 to 24 2 to 2½ 2½ to 3 ILEX crenata Holly). 5 to 6 leaves. Broad | in. B&B 2.00 |
| 9 to 12 12 to 15 15 to 18 B. california (C A fairly fast foliage turning pact as the Er 15 to 18 1½ to 2 COTONEASTER Ideal for rock wood, and brig 18 to 24 2 to 2½ 2½ to 3 ILEX crenata Holly). 5 to 6 leaves. Broad 12 to 15 | in. B&B 2.00 |
| 9 to 12 12 to 15 15 to 18 B. california (C A fairly fast foliage turning pact as the En 15 to 18 1½ to 2 COTONEASTER Ideal for rockwood, and brig 18 to 24 2 to 2½ 2½ to 3 ILEX crenata Holly). 5 to 6 leaves. Broad 12 to 15 15 to 18 | in. B&B |
| 9 to 12 12 to 15 15 to 18 B. california (C A fairly fast foliage turning pact as the En 15 to 18 1½ to 2 COTONEASTER Ideal for rockwood, and brig 18 to 24 2 to 2½ 2½ to 3 ILEX crenata Holly). 5 to 6 leaves. Broad 12 to 15 15 to 18 18 to 24 | in. B&B |
| 9 to 12 12 to 15 15 to 18 B. california (C A fairly fast foliage turning pact as the Er 15 to 18 1½ to 2 COTONEASTER Ideal for roc wood, and brig 18 to 24 2 to 2½ 2½ to 3 ILEX crenata Holly). 5 to 6 leaves. Broad 12 to 15 15 to 18 18 to 24 2 to 2½ 2½ 2½ to 3 | in. B&B |
| 9 to 12 12 to 15 15 to 18 B. california (C A fairly fast foliage turning pact as the Er 15 to 18 1½ to 2 COTONEASTER Ideal for roc wood, and bris 18 to 24 2 to 2½ 2½ to 3 ILEX crenata Holly). 5 to 6 leaves. Broad 12 to 15 15 to 18 18 to 24 2 to 2½ 1. crenata conve | in. B&B |
| 9 to 12 12 to 15 15 to 18 B. california (C A fairly fast foliage turning pact as the Er 15 to 18 1½ to 2 COTONEASTER Ideal for roc wood, and bris 18 to 24 2 to 2½ 2½ to 3 ILEX crenata Holly). 5 to 6 leaves. Broad 12 to 15 15 to 18 18 to 24 2 to 2½ 1. crenata conve Evergreen. Slo | in. B&B |
| 9 to 12 12 to 15 15 to 18 B. california (C A fairly fast foliage turning pact as the Er 15 to 18 1½ to 2 COTONEASTER Ideal for roc wood, and bris 18 to 24 2 to 2½ 2½ to 3 ILEX crenata Holly). 5 to 6 leaves. Broad 12 to 15 15 to 18 18 to 24 2 to 2½ 1. crenata conve | in. B&B 2.00 in. B&B 2.60 in. B&B 4.00 alifornia-type Boxwood). 4 to 5 ft. growing variety with light green by bronze in the winter. Not as compalish Boxwood. in. B&B 4.00 ft. B&B 5.00 horizontalis (Rock Cotoneaster). kery. Evergreen leaves, like Boxght red berries. in. B&B 4.50 ft. B&B 7.00 ft. B&B 9.00 microphylla (Little-leaf Japanese ft. Small boxwood-like, dark green bushy plant. in. B&B 3.50 in. B&B 4.50 in. B&B 6.00 eft. B&B 7.50 sea (Convex-leaf Holly). 4 to 5 ft. bw growing. Shiny convexed foliageries. in. B&B 4.50 |
| 9 to 12 12 to 15 15 to 18 B. california (C) A fairly fast foliage turning pact as the En 15 to 18 1½ to 2 COTONEASTER Ideal for rockwood, and bright to 24 2 to 2½ 2½ to 3 ILEX crenata Holly). 5 to 6 leaves. Broad 12 to 15 15 to 18 18 to 24 2 to 2½ 2½ 2½ to 3 ILEX crenata Holly). 5 to 6 leaves. Broad 12 to 15 15 to 18 18 to 24 2 to 2½ 1. crenata convectory convectory convectors. Since the convector convector convector convectors and black bern 15 to 18 1½ to 2 | in. B&B 2.00 in. B&B 2.60 in. B&B 4.00 alifornia-type Boxwood). 4 to 5 ft. growing variety with light green gronze in the winter. Not as comaglish Boxwood. in. B&B 4.00 ft. B&B 5.00 horizontalis (Rock Cotoneaster). kery. Evergreen leaves, like Boxght red berries. in. B&B 4.50 ft. B&B 7.00 ft. B&B 9.00 microphylla (Little-leaf Japanese ft. Small boxwood-like, dark green bushy plant. in. B&B 3.50 in. B&B 4.50 in. B&B 4.50 et R&B 7.50 exa (Convex-leaf Holly). 4 to 5 ft. we growing. Shiny convexed foliage ries. in. B&B 4.50 ft. B&B 4.50 ft. B&B 4.50 |
| 9 to 12 12 to 15 15 to 18 B. california (C) A fairly fast foliage turning pact as the En 15 to 18 1½ to 2 COTONEASTER Ideal for rockwood, and brig 18 to 24 2 to 2½ 2½ to 3 ILEX crenata Holly). 5 to 6 leaves. Broad 12 to 15 15 to 18 18 to 24 2 to 2½ 1. crenata converse Evergreen. Sland black bern 15 to 18 1½ to 2 2 to 2½ 2 to 2 ½ 2 to 2 | in. B&B 2.00 |
| 9 to 12 12 to 15 15 to 18 B. california (C A fairly fast foliage turning pact as the En 15 to 18 1½ to 2 COTONEASTER Ideal for roc wood, and brig 18 to 24 2 to 2½ 2½ to 3 ILEX crenata Holly). 5 to 6 leaves. Broad 12 to 15 15 to 18 18 to 24 2 to 2½ 2½ I. crenata converses c | in. B&B |
| 9 to 12 12 to 15 15 to 18 B. california (C A fairly fast foliage turning pact as the En 15 to 18 1½ to 2 COTONEASTER Ideal for roc wood, and brig 18 to 24 2 to 2½ 2½ to 3 ILEX crenata Holly). 5 to 6 leaves. Broad 12 to 15 15 to 18 18 to 24 2 to 2½ 2½ I. crenata converses c | in. B&B 2.00 |

| 10 TURNER | BRUS. |
|--|--------------|
| I. crenata Helleri (Heller Holly). Very dwarf | . com- |
| pact, small leaved Holly. Plants are a ver | y low |
| mound shape. | |
| 12 to 15 in. B&B | 4.50 |
| 15 to 18 in. B&B | 6.00 |
| 18 to 24 in. B&B | 7.50 |
| 2 to 2½ ft. B&B | 9.00 |
| I. crenata Kingsville (Kingsville Dwarf Holly) | . Very |
| low, compact plant with twiggy growth. | Hardy, |
| neat low evergreen. | F 00 |
| 12 to 15 in. B&B | 5.00 6.00 |
| 15 to 18 in. B&B 18 to 24 in. B&B | 7.50 |
| 2 to 2½ ft. B&B | 9.00 |
| I. crenata rotundifolia (Round-leaf Japanese I | |
| 7 to 8 ft. Evergreen shrub with shiny round | green, |
| foliage and black berries. | green |
| 12 to 15 in. B&B | 3.50 |
| 15 to 18 in. B&B | 4.00 |
| 1½ to 2 ft. B&B | 6.00 |
| 2 to 2½ ft. B&B | 7.50 |
| 2½ to 3 ft. B&B | 9.00 |
| I. glabra (Inkberry). Useful native form with | black |
| berries. | |
| 12 to 15 in. B&B | 2.50 |
| 15 to 18 in. B&B | 3.00 4.50 |
| 18 to 24 in. B&B | 4.50 |
| LIGUSTRUM lucidum (Wax Privet). An attr | active |
| Privet with evergreen glossy green foliage. | |
| 1½ to 2 ft. B&B | 6.00 |
| 2 to 2½ ft. B&B | 7.50 |
| 2½ to 3 ft. B&B | 9.00 |
| LAUROCERASUS schipkaensis (Cherry-Lauro | el). A |
| spreading broadleaf evergreen with large, lu | strous |
| green leaves. Likes sheltered location. Does | vell in |
| shade. | P F0 |
| 18 to 24 in. B&B | 7.50 |
| PIERIS japonica (Andromeda). 4 ft. A sp | lendid |
| evergreen for foundation planting or rocker | y with |
| drooping white flowers in May and beautifu | l dark |
| green foliage. Does well in shade and sun. | ~ 00 |
| 15 to 18 in. B&B | 5.00 6.50 |
| 1½ to 2 ft. B&B 2 to 2½ ft. B&B | 8.00 |
| 2 to 2/2 it. Dell | 0.00 |
| PYRACANTHA coccinea Lalandi (Firethorn). | 12-15 |
| ft. Orange berries, against deep green f | oliage. |
| provide a handsome sight in fall and winter | |
| Field plants medium B&B | 10.00 |
| Field plants large B&B | 12.00 |
| P. Government Red. Orange-red berries. | 10.00 |
| Field plants medium B&B | 10.00 |
| P. Rosedale. Brilliant red berries. | 10.00 |
| Field plants medium B&B | 10.00 |
| RHODODENDRON maximum (Rosebay Rho | robob |
| RHODODENDRON maximum (Rosebay Rho dron). 8 to 12 ft. Magnificent and dignified | native |
| broad-leaved evergreen, carrying a wealth o | f light |
| pink flowers in June and July. Good for | mass |
| planting. | |
| 2 to 2½ ft. B&B | 5.00 |
| 2½ to 3 ft. B&B | 6.00 |
| 3 to 4 ft. B&B | 8.00 |

| TURNER BROS. | 11 |
|--|----------------------|
| 4 to 5 ft. B&B 5 to 6 ft. B&B R. Hybrids. 8 ft. Finest of Rhododendrons. No varieties in many colors. Crimson, bright relac, pink, purple and white. 15 to 18 in. B&B 1½ to 2 ft. B&B 2 to 2½ ft. B&B | [amed |
| FLOWERING SHRUBS | |
| ALTHEA (Rose of Sharon). 10 to 12 ft. Ur | pright |
| growing shrub. Producing quantities of Hibis like flowers in late summer. | |
| 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. | 2.00 2.50 3.00 |
| ARONIA arbutifolia (Red Chokeberry). 7-8 ft. attractive red berries, which are carried until | The |
| winter, make this a splendid shrub especiall | y for |
| 2 to 3 ft | $\frac{2.00}{2.50}$ |
| A. melanocarpa (Black Chokeberry). 8-10 f bushy type shrub, which carries vast quant | t. A |
| showy white flowers in May and black be amid the gorgeously colored foliage in the f | parries |
| 2 to 3 ft | 2.00 |
| ft. Popular for low dense hedges. Has ar slender branches and carries abundance of s | ching |
| berries in autumn and winter. 10 | 100 45.00 |
| 172 to 2 it 6.00 | 55.00 70.00 |
| B. thunbergi atropurpurea (Red-leaf Barberry) 5 ft.). Same as above, with bright red coloring | . 4 to |
| 15 to 18 in | 60.00 75.00 |
| 2 to 2½ ft | 80.00 |
| B. Charming, 5 to 6 ft. Carries many long spra attractive pink flowers in late summer. | ys of |
| B. farquhari, 5 ft. Flowers in mid July until Bears fragrant lavender flowers. | fr o st. |
| B. Ile de France , 4 to 5 ft. Bears dark purple grant flowers. | |
| B. variabilis magnifica, 6 to 8 ft. Produces rich ender flower spikes. | |
| B. Orchid Beauty , 6 to 8 ft. Flowers attractive o color, with brilliant orange eye. | rchid |
| 3 to 4 ft | 2.00 pikes |
| of- richly fragrant flowers, July-September. fers moist, shady places. | Pre- |
| 1½ to 2 ft | 2.00 2.50 |
| 3 to 4 ft | 3.00 b). 4 |
| to 5 ft. Reddish-brown flowers, from Jur | ie to |
| 2½ to 3 ft | $2.00 \\ 2.50$ |
| CYPONIA japonica (Flowering Quince). 4 to Carries masses of rich scarlet flowers in | 5 ft. early |

| 12 TURNER BROS. |
|---|
| spring. Deep green foliage, excellent for border edging. |
| 2 to 3 ft 2.00 |
| DEUTZIA crenata (Double Pink Deutzia). 6 to 8 ft. Double pink flowers in June. |
| 3 to 4 ft. 2.00 |
| 4 to 5 ft 2.50 |
| 5 to 6 ft 3.00 |
| D. gracilis (Slender Deutzia). 2 ft. Dwarf, dense, branched shrub covered with white flowers. |
| branched shrub covered with white flowers. $1\frac{1}{2}$ to 2 ft |
| 1½ to 2 ft 2.00 D. lemoinei (Lemoine Deutzia). 4 to 5 ft. Large |
| white flowers, June, graceful. |
| 2 to 3 ft 2.00 |
| 3 to 3½ ft 2.50 |
| D. Pride of Rochester (Large flowered Deutzia). 9 to 10 ft. White, flowers in June. Fast growing. |
| 3 to 4 ft |
| 4 to 5 ft 2.50 |
| 4 to 5 ft |
| ENKIANTHUS campanulatus (Redvein Enkianthus). |
| Branches of nodding red-veined white cup flowers. |
| Foliage turns brilliant red in Fall. 3 to 4 ft. B & B* EUONYMUS alatus (Winged Euonymus). 9 to 10 ft. Has corky bark. Bright crimson autumn |
| EUONYMUS alatus (Winged Euonymus). 9 to 10 |
| ft. Has corky bark. Bright crimson autumn |
| COLORING |
| 3 to 4 ft 3.00 E. alatus compacta (Dwarf Winged Euonymus). 4 to 5 ft. Dwarf compact, brilliant fall coloring. |
| 4 to 5 ft Dwarf compact brilliant fall coloring |
| 2½ to 3 ft |
| 2½ to 3 ft3.00 3 to 4 ft3.50 |
| E. patens (Spreading Euonymus). 4 to 5 ft. Spread- |
| ing shrub with attractive foliage which remains on until after Christmas. |
| on until after Christmas. 2 to 2½ ft. B & B 5.00 FORSYTHIA Lynwood Gold. A new Forsythia originated in Ireland. Erect branches literally |
| FORSYTHIA Lynwood Gold. A new Forsythia |
| originated in Ireland. Erect branches literally |
| smothered under golden nowers from top to |
| bottom. 3 to 4 ft |
| 4 to 5 ft |
| F. spectabilis (Showy Border Forsythia). 6 to 8 ft. |
| The most showy of all Forsythia, branches slightly |
| arched. |
| 3 to 4 ft. 2.00 4 to 5 ft. 2.50 5 to 6 ft. 3.00 |
| 5 to 6 ft |
| F. Spring Glory. A wonderful variety with pale |
| yellow flowers completely covering the branches which literally bend with their weight. |
| which literally bend with their weight. |
| 3 to 4 ft |
| 4 to 5 ft 3.50 F. nana (Dwarf Forsythia). 3 to 4 ft. Very dwarf |
| variety. |
| 2½ to 3 ft |
| 3 to 3½ ft |
| drangea). 4 to 5 ft. Large white flower heads |
| in early Summer. Good for mass planting. |
| H. paniculata grandiflora (Peegee Hydrangea) 8 to |
| 9 feet. Showy conical flower heads in late Sum- |
| mer, which are pure white, turning to pink, bronze and green. |
| 1½ to 2 ft 2.00 |
| 2 to 3 ft 2.50 |
| |

| H. hortensis (Blue Hydrangea). 3 to 4 ft. Lanflowers throughout the summer. Turns blue | rge blue ie in an |
|---|----------------------|
| acid soil and pink in an alkaline soil. Medium Size Clumps | |
| Large Size Clumps | 4.50 |
| ILEX verticillata (Winterberry). 6-8 ft. red berries in Winter. | _ |
| 2 to 3 ft | 2.00 2.50 |
| KOLKWITZIA amabilis (Beauty Bush). 6 | to Q ft |
| A distinctive pink flowering shrub with branches. | arched |
| 3 to 4 ft. | . 2.00 |
| 4 to 5 ft. 5 to 6 ft. | . 2.50 |
| | |
| tigustrum ovalifolium (California Privet). | 8 to 10 |
| ft. The most popular hedge plant in the States. Glossy, dark green foliage, upright | branch |
| ing habit. | 100 |
| 1½ to 2 ft 3.00 | 25.00 |
| | 35.00 |
| 2 to 3 ft | 45.00 |
| | |
| 5 to 6 ft | 110.00 |
| 5 to 6 ft. (heavy clumps)Each | 2.50 |
| 6 to 7 ft. (medium grade)Each | 3.00 |
| to the tite (neavy clumps) Each | 4 1111 |
| 7 to 8 ft. (medium grade)Each | 5.00 |
| 7 to 8 ft. (heavy clumps)Each | 6.00 |
| LIGUSTRUM ibota regelianum (Regal Priv | ot) 5.6 |
| II. Low, dense, spreading. Desirable | |
| 2 to $2\frac{1}{2}$ ft. | 2.00 |
| 2½ to 3 it. | 2.50 |
| 3 to 3½ ft. | 3.00 |
| LONICERA fragrantissima (Fragrant Honeys | cueldo) |
| 6 to 7 ft. Small, highly perfumed white flo | ware in |
| early Spring before leaves appear. Almos | st ever- |
| green. | |
| 3 to 4 ft. | 2.00 |
| 4 to 5 ft | 2.50 |
| L. morrowi (Morrow Honeysuckle). 7 to 8 | ft. A |
| broad shrub with wide spreading branches | covered |
| broad shrub with wide spreading branches in May and June with white flowers, lat crimson or yellow berries. | er with |
| 3 to 4 ft. | 0.00 |
| 4 to 5 ft. | . 2.00 2.50 |
| L. tatarica rosea (Rosy Tatarian Honeysuckle | 0 to |
| 10 ft. Produces levely rosy pink flowers in la | ate Mav |
| 10 ft. Produces lovely rosy pink flowers in land red berries from mid-summer until fr | rost. |
| 3 to 4 ft | 2.00 |
| 4 to 5 ft | 2.50 |
| MYRICA pensylvanica (Northern Bayberry |). 5 to |
| 6 ft. Bushy plant with aromatic foliage, b | ranches |
| covered in Fall with gray, waxy berries. | |
| 15 to 18 in. B&B | 3.50 |
| 1½ to 2 ft. B&B 2 to 3 ft. B&B | |
| | |
| PHILADELPHUS virginalis (Virginal Mock O | range). |
| 7 to 8 ft. Large double and semi-double f | ragrant |
| flowers in large clusters, produced interm | ittently |
| throughout the summer. | |
| 3 to 4 ft. | 2.00 |
| | |

| PRUNUS glandulosa (Flowering Almond). 4 to 5 ft. |
|---|
| Beautiful, double pink flowers, in early spring, |
| practically envelope the branches before the leaves |
| appear. |
| 1½ to 2 ft |
| 2 to 3 ft 2.50 |
| |
| RHODOTYPOS kerrioides (Jetbead). 4 to 5 ft. |
| Fresh green foliage, white flowers, May, June, |
| shiny head-like black herries all winter. |
| 2 to 3 ft 2.00 |
| 3 to 4 ft 2.50 |
| |
| RHUS continus (Common Smoketree). 12 to 15 ft. |
| Attractive tree carrying masses of filmy purplish |
| flower clusters, in July. |
| 2 to 3 ft 3.00 3 to 4 ft 4.00 |
| 3 to 4 ft 4.00 |
| 4 to 5 ft |
| DOCA market (Circle Terrana Fileman) Helleway |
| ROSA rugosa (Single Fragrant Flowers). Followed |
| by large red and yellow seed pods. Rich, green |
| foliage and good autumn color. Good for seashore |
| plantings. |
| 15 to 18 in 2.00 |
| 2 to 3 ft |
| |
| SPIRAEA Anthony Waterer (Waterer Spiraea). 3 ft. |
| A compact shrub bearing flat heads of rosy pink |
| flowers all summer. |
| 2 to 2½ ft |
| $2\frac{1}{2}$ to 3 ft |
| 2½ to 3 ft. 2.50 S. billiardi (Billiard Spiraea). 5 to 6 ft. Throughout |
| lilly and Alighet this variety hears many dense |
| and uprightpanicles, fuzzy with lilac-pink flowers. |
| 2 to 3 ft |
| 2 to 3 It |
| S. prunifolia (Bridal Wreath). 7 to 8 ft. Tiny double, |
| buttonlike, white spring flowers by the thousand. |
| 2 to 3 ft. 2.00 |
| S. thunbergi (Thunberg Spirea). 4 to 5 ft. Miniature |
| white flowers appear, in masses in early Spring and yellow-green, lace-like foliage throughout the |
| and yellow-green, lace-like foliage throughout the |
| summer. |
| 2 to 3 ft 2.00 |
| 3 to 4 ft 2.50 |
| S. vanhouttei (Vanhoutte Spiraea). 7 to 8 ft. Masses |
| of lovely white flowers highlight this plant, the |
| most popular of all flavoring should Coming and |
| most popular of all flowering shrubs. Semi-pendu- |
| lous growth. |
| 3 to 4 ft |
| 1008 growth. 3 to 4 ft |
| STRINGA, Hydru Lhac. (French Lhacs). 12 to 13 |
| ft. One of the most popular flowering shrubs. |
| 2 to 3 ft. 300 |
| 3 to 4 ft. 4.00 |
| 4 to 5 ft |
| SYRINGA (Lilac). |
| Alphonse Lavalle. Double lilac. |
| Pollo do Noney Double liles sink |
| Belle de Nancy. Double, lilac pink. Capitaine Baltet. Single, lilac. |
| Charles the Manth G. |
| Charles the Tenth. Single, rich purple-red. |
| Congo. Single, reddish purple. |
| Katherine Havemeyer. Double, pink. |
| Ludwig Spaeth. Single, deep purple. |
| Macrostachya. Light pink. |
| Marechal Lannes. Double, blue. |
| Maurice Barres. Single, blue. |
| Mma Manga Doon and |
| Mme. Monge. Deep red. |
| Mme. Morel. Single, deep pink. |
| President Grevy. Double, bluish lilac. |
| |

| TOTALLE DROS. |
|---|
| S. vulgaris (Common Lilac). Lavender flowers. |
| 3 to 4 ft. 2.00 S. persica (Persian Lilac). 8 to 10 ft. Fragrant pale |
| lilac flowers, loosely arranged. 3 to 4 ft |
| VALTINIIM hybrida (Dluchamma) T |
| ties of the common blueberry. 15 to 18 in. B&B |
| 15 to 18 in. B&B 2.50 |
| 18 to 24 in. B&B 3.50 |
| 2 to 2½ it. B&B 4.50 |
| VIBURNUM americanum (American Cranberry Bush). 10 to 12 ft. White round flowers, followed |
| Dy Ulight Scallet Derries. Good foliage |
| 3 to 4 ft. 2.00 |
| 4 to 5 ft. 2.50 V. burkwoodi (Burkwood Viburnum). 4 to 5 ft. Very |
| similar to the popular variety Viburnum Carlesi |
| equally fragrant flowers. |
| equally fragrant flowers. 2 to 2½ ft. B&B 5 to 6 ft. B&B V. dentatum (Arrowwood). 10 to 12 ft. White flowers in long stalked clusters in late Spring, followed by blue-black berries in late Summer and purple-red foliage in Fall |
| V. dentatum (Arrowwood), 10 to 12 ft White flowers |
| in long stalked clusters in late Spring, followed by |
| blue-black berries in late Summer and purple-red |
| foliage in Fall. 2 to 3 ft. 2.00 |
| 3 to 4 ft. 2.50 |
| V. dilatatum (Linden Viburnum). 8 to 9 ft. Greenish |
| |
| clusters of berries in the Fall. 3 to 4 ft. 4 to 5 ft. |
| 4 to 5 ft. 3.00 |
| V. tomentosum (Doublefile Viburnum). 7 to 8 ft. |
| 4 to 5 ft. 3.00 V. tomentosum (Doublefile Viburnum). 7 to 8 ft. White flowers borne in flat heads, doublefile along the stem in June, followed by red and black berries |
| |
| 3 to 4 ft 2.00 |
| 4 to 5 ft. 2.50 5 to 6 ft. 300 |
| 5 to 6 ft. 3.00 VITEX macrophylla (Chaste Tree). 4 to 5 ft. Lilac- |
| hille Hower enilog in lote gummen with attendation |
| star shaped foliage. |
| 2 to 3 ft. 2.50 |
| WEIGELA florabunda (Crimson Weigela), 7 to 8 ft. |
| Red bell-shaped flowers, nice branching habit. 3 to 4 ft |
| W. rosea (Pink Weigela). Pink form of above. |
| 3 to 4 ft |
| 4 to 5 ft |
| 5 to 6 ft. 3.00 W. Eva Rathke (Dwarf Red-flowering Weigela). 4 to |
| 5 ft. Dwarf plant covered with rich carmine flowers |
| throughout early summer and intermittently |
| thereafter. 2 to 3 ft 2.00 |
| 2 to 3 ft. 2.00 |
| 3 to 4 ft |
| 7100 |
| FLOWERING and ORNAMENTAL TREES |
| FLOWERING and ORNAMENTAL TREES |
| FLOWERING and ORNAMENTAL TREES ACER palmatum (Bloodleaf Maple). A good dwarf tree with rich purple-red leaves all Summer. |
| FLOWERING and ORNAMENTAL TREES ACER palmatum (Bloodleaf Maple). A good dwarf tree with rich purple-red leaves all Summer. 3 to 3½ ft. B&B |
| FLOWERING and ORNAMENTAL TREES ACER palmatum (Bloodleaf Maple). A good dwarf tree with rich purple-red leaves all Summer. 3 to 3½ ft. B&B |
| FLOWERING and ORNAMENTAL TREES ACER palmatum (Bloodleaf Maple). A good dwarf tree with rich purple-red leaves all Summer. 3 to 3½ ft. B&B |
| FLOWERING and ORNAMENTAL TREES ACER palmatum (Bloodleaf Maple). A good dwarf tree with rich purple-red leaves all Summer. 3 to 3½ ft. B&B |

| A. palmatum dissectum atropurpurem (Purple Cu leaf). Of decidedly pendulous growth with deepl |
|---|
| cut, dense lace-like foliage. |
| 1½ to 2 ft. B&B |
| ALBIZZIA julibrissin (Mimosa or Silk-tree). Sma |
| tree. Deciduous bipinnate leaves, pink flower. Not too hardy. |
| 4 to 5 ft 6.0 5 to 6 ft 8.0 |
| BETULA alba laciniata (Weeping Cutleaf Birch Beautiful tree with cutleaf foliage and pure whit |
| brandos. 6 to 8 ft. B&B |
| 8 to 10 ft. B&B |
| 10 to 12 ft.—1¾ to 2 in. cal. B&B 20.0 |
| 12 to 14 ft.—2 to 2½ in. cal. B&B 30.0 14 to 16 ft.—2½ to 3 in. cal. B&B 40.0 |
| 14 to 16 ft.—2½ to 3 in. cal. B&B 40.0 16 to 18 ft.—3 to 3½in. cal. B&B 50.0 |
| B. populifolia (Gray Birch). Thrives in poor or sand |
| soil. White bark. Desirable in mass planting. |
| 4 to 5 ft. B&B |
| 5 to 6 ft. B&B |
| 8 to 10 ft. B&B |
| 10 to 12 ft. B&B 18.0 |
| 12 to 14 ft. B&B |
| 14 to 16 ft. B&B |
| 16 to 18 ft. B&B |
| 20 to 24 ft. B&B |
| CERCIS canadensis (American Redbud). Judas Tree |
| Small rosy pink flowers, like Sweet Peas, pra- |
| tically cover the bare branches in April. 4 to 5 ft. B&B |
| 4 to 5 ft. B&B |
| 6 to 8 ft. B&B 12.0 |
| CORNUS florida (White Dogwood). Large whit |
| flowers in early spring. Fall finds a riot of colo on the tree, with countless red berries glitterin |
| amid its rich autumnal foliage. |
| Average Nursery Grade. |
| Average Nursery Grade. 4 to 5 ft. B&B |
| 5 to 6 ft. B&B 14.0 |
| 6 to 7 ft. B&B |
| 7 to 8 ft. B&B |
| C. florida rubra (Pink Dogwood). Same as above wit |
| pinkish-red flowers. |
| Average Nursery Grade. 4 to 5 ft. B&B |
| 4 to 5 ft. B&B |
| 6 to 7 ft. B&B 24.0 |
| 7 to 8 ft. B&B 28.0 |
| 8 to 9 ft. B&B 34.0 |
| For cost of larger specimen trees consult price schedule on page 20. |
| C. kousa. Late flowering Dogwood, white star-lik |
| flowers in June followed by cherry-like scarle |
| fruits in the fall. Attractive to birds. |
| 5 to 6 ft. B&B |
| CRATAEGUS cordata (Washington Hawthorne) |
| Red Berries. White flowers in spring and fall. |
| 8 to 10 ft. B&B 22.0 |
| 10 to 12 ft. B&B 26.0 |

| TURNER | BR | US. | | | 17 |
|----------------------------|----------------|-----------------------|-------------------------|---|----------------------|
| popula scarlet | r of , dou | the Ha | wthorn wers in | Scarlet Hawthorne es, with a mass on June and color | of vivid |
| 7 8 | to to | | B&B | | 04.00 |
| this He | ally v | with Ch | ristma | lly). We always as s because of its cl l berries. | ssociate heerful, |
| $2 \\ 2\frac{1}{2}$ | to | 2½ ft. 3 ft. | B&B B&B . B&B | | 7.50 14.00 |
| 4 5 5½ | | 5 ft 5½ ft 6 ft | . B&B . B&M . B&B | | 22.00 28.00 |
| Golder | ı vel | vossi (| wers in | Chain Tree). 18 to June. A usefu | to 20 ft. |
| tree. | Strik to | ingly b | eautifu B&B | l in bloom. | . 14.00 |
| and m | ost p pink | opular flowers | bv fai | (Saucer Magnolia r, of Magnolias. P st quantities, in M | roduces |
| 3 4 5 | to to to | 4 ft | . B&B | | 12.00 18.00 |
| 6 7 M. soul a | to to | 8 ft | . B&B | *************************************** | 30.00 |
| ing tr | uous ee. F | requen | i eariy tly bloc | ple Lily Magnolia nish purple flowe June, on this rap oms again in late s | ummer. |
| 3 4 5 | to to to | 5 ft 6 ft | . В&В . В&В | | . 16.00 . 20.00 |
| white | ador r. an | n the | branche delighti | Starry flowers o es, long before the fully fragrant. Of | e leaves |
| 2 3 5 | to to to | 3 ft 4 ft 6 ft | . B&B . B&B . B&B | ••••• | 12.00 20.00 |
| 6 | to | 7 ft | . В&В | ••••• | 30.00 |

MALUS (Flowering Crabs).

M. almey (Almey Crabapple). 12-15 ft. Large fiery red flowers. Upright habit. Maroon fruit lasts into the winter.

M. atrosanguinea (Carmine Crab). A shapely lawn tree, with a wealth of dark green and purplish crimson blooms in late spring, followed by red fruit.

M. eleyi (Redleaved Crab). Purple-red foliage and purple flowers in spring and early Summer. The great quantities of attractive, deep purple fruits, produced by this sort, are splendid for jelly.

M. floribunda (Japanese Flowering Crab). Covered with bright pink buds and white open flowers in April, followed by yellow fruits.

M. hopa (Hopa Crab). 12-15 ft. Large rose color flowers, most striking of deep colored crabs, large red fruit.

| 18 | | | | TURNE | R BROS |
|------------|--------------|--------------------|---------------------------------|---|----------------|
| M. scheid | eckeri (S | Scheide | eker Cra | b). Strikin | g cluster |
| of sem | i-double | pink l | oloom. | followed b | v vellov |
| fruits | over a h | alf incl | ı in dia | followed b meter. | |
| 6 | to 7 | ft. BR | | • | 12.00 |
| 7 | to 8 | ft. B& | В | | 18.00 |
| 8 | to 9 | ft. B& | В | • | 28.00 |
| -9 | to 10 | | | •••••• | |
| | | | ecimen | trees cons | ult price |
| | le on pag | | | | |
| PHELLO | DENDRO | ON amu | rense (| Cork Tree |). Orna |
| mentai | tree wi | th folia | age turr | ning yellow | v in au- |
| 3 | to 4 | ft RR | | ********************** | 6.00 |
| 4 | to 5 | ft BR | ******************************* | *************************************** | 8.00 |
| PRUNUS | | ring Ch | arriag) | *************************************** | 0.00 |
| P. Aman | ngawa (F | Titoeve | Cherry) | . 25 to 30 | ft Fact |
| growing | g and u | oright v | vith den | se pendul | ous clus |
| ters of | fragrant | . semi-d | ouble p | ise pendul ink Spring | flowers. |
| purple | cast to : | foliage. | | | |
| P. blerian | a (Pink | Floweri | ng Plun | ı). Fragrar | it double |
| pink fl | owers_st | and ou | t well | against th | e purple |
| leaves | in early | spring. | | | |
| P. Kwanza | an (Kwai | nzan Ch | erry). In | May, larg | e double, |
| ueep p | the high | ers, ciu | stering | among the | e leaves, |
| P MI F | me mgn | est rati | ng to th | is splendic the fines | t double |
| white f | lowering | Charry | Junteary | the lines | i doubte |
| 6 | | | | ****************************** | 12.00 |
| 7 | to 8 | ft R& | R | ***************************** | 12.00 |
| 8 | to 9 | ft. B& | B | ********************** | 28.00 |
| _ | to 10 | ft. B & 1 | B | ***************************** | 40.00 |
| P. subhir | tella nen | dula (V | Veening | (Cherry) | In early |
| Spring, | countles | s lovely | , small, | pink bloon | ıs almost |
| comple | tely cove | r the g | raceful p | endulous | branches |
| of this | beautifu | l Weepi | ng Cher | ry. | 40.00 |
| 5 7 | | | | ft. spd. BR | |
| | to 8 to 9 | it. nign | 3 to 3 1/2 | in cal B&I | 3 70.00 |
| 9 | to 10 | ft high | 416 to 5 | in cal B&l ft cal B&l | 5 100.00 |
| | st of lar | oer sne | ciman t | rees consu | o 100.00 |
| schedul | e on pag | ger spe | cimen t | rees const | nt price |
| | | | nean Mo | ountain-Asl | , 20 20 |
| ft. A v | aluable 1 | ree on | a small | lawn. The | a orange |
| scarlet | berries | are ver | v strikir | og. | orange |
| 7 | to 8 | ft. BR | | • | 10.00 |
| | to 9 | ft. BR | ************* | •••••• | 14.00 |
| STYRAX | japonica | (Japan | ese Snov | wbell). 18 | to 20 ft. |
| Effectiv | e in July | ' when t | he wide | spreading l | ranchae |
| are clos | sely strui | ng with | nodding | s, pure wh | ite bells. |
| Э | to 6 1 | tt. B&1 | В | | 14.00 |
| 6 | to 7 | ft. B&1 | В | ••••••• | 18.00 |
| | CI | HADE | TRE | EC | |
| A 44 4 | | | | | |
| Auu a | approxim | ting one | 3 1-3% 1 | to cost of B | B.R. |
| trees | for plan | ung and ting | 1 50% IC | cost of B | ∞ B |
| | | | | ple). A h | |
| round-h | eaded tr | ee with | vay Maj | that turn | anusome |
| vellow | in late A | Autumn. | . The m | nost popula | a goiden |
| trees fo | r street | plantin | g. | lost popul | it of all |
| 10 to | 12 ft. h | igh $1\frac{1}{2}$ | to 13/4 | in. cal. B | R 15.00 |
| 10 to | 12 ft. h | igh 1¾ | to 2 | in. cal. B | R 18.00 |
| 12 to | 15 ft. h | igh 2 | to 21/2 | in cal R | R 23 00 |
| 12 to | 15 ft. h | igh $2\frac{1}{2}$ | to 3 | in. cal. B | R 30.00 |
| 15 to | 16 ft. h | igh 3 | to $3\frac{1}{2}$ | in. cal.B& | B 60.00 |
| | | | | | |

| TURNER BROS. |) |
|--|-------------------|
| 15 to 17 ft. high 3½ to 4 in. cal.B&B 80.00 15 to 17 ft. high 4 to 4½ in. cal.B&B 100.00 16 to 18 ft. high 4½ to 5 in. cal.B&B 160.00 16 to 18 ft. high 5 to 5½ in. cal.B&B 180.00 18 to 20 ft. high 5½ to 6 in. cal.B&B 200.00 18 to 20 ft. high 6 to 6½ in. cal.B&B 250.00 18 to 20 ft. high 6½ to 7 in. cal.B&B 300.00 A. Crimson King (Patent No. 735). The best of all red foliaged Maples. Retains its color throughout summer. Growth same as Norway Maple. | |
| 8 to 9 ft. high 1½ to 1¾ in. cal. BR 24.00 8 to 10 ft. high 1¾ to 2 in. cal. BR 26.00 9 to 10 ft. high 2 to 2½ in. cal. BR 28.00 10 to 12 ft. high, 2½ to 3 in. cal. B&B 36.00 A. plantanoides Schwedleri. Large-growing Purple leaf Maple. Splendid lawn specimen. Carries at tractive red leaves in the Spring, which turn purplish color in summer and again brighten up in the Fall. | |
| 15 to 16 ft. high 3 to 3½ in. cal.B&B 60.00 16 to 17 ft. high 4½ to 5 in. cal.B&B 160.00 A. rubrum (Red Maple) 60 to 80 ft. Simply gor geous in Fall, when carrying brilliant red foliage Succeeds in moist, as well as in dry, soil. 12 to 15 ft., 1¾ to 2 in. cal. BR 15.00 12 to 15 ft., 2 to 2½ in. cal. BR 24.00 A. saccharum (Sugar Maple). Tallest and most maiestic of the Maples, it is also supreme in it. | |
| brilliant range of autumnal color. 12 to 15 ft. high 1¾ to 2 in. cal. BR 20.00 12 to 15 ft. high 2 to 2½ in. cal.B&B 15 to 18 ft. high 2½ to 3 in. cal.B&B 15 to 18 ft. high 3½ to 3½ in. cal.B&B 15 to 18 ft. high 3½ to 4 in. cal.B&B 15 to 16 ft. high 4 to 4½ in. cal.B&B 110.00 15 to 16 ft. high 4½ to 5 in. calB&B 160.00 | |
| FAGUS sylvatica asplendifolia (Fernleaf Beech) Useful as specimen tree. Finely cut leaves. Grace ful slow growing. 18 to 20 ft. high B&B 6-7 in. cal. B&B 300.00 F. sylvatica pendula (Weeping Beech). A weeping tree with a very unusual arrangement of branches 22 to 24 ft. high B&B 7-8 in. cal. B&B 450.00 F. sylvatica purpurea riversi (Purple Beech). Th tree of all trees, for a perfect lawn specimer with indescribably beautiful purple foliage al season. | 0 g s. 0 e i, l |
| 18 to 20 ft. high 5-6 in. cal. B&B | 0 |
| graceful tree of good growth characteristics and clean bright foliage. Almost thornless. 10 to 12 ft. high 1½ to 2 in. cal.B&R 20.0 12 to 14 ft. high 2 to 2½ in. cal.B&R 25.0 12 to 14 ft. high 2½ to 3 in. cal.B&B 45.0 12 to 14 ft. high 3 to 3½ in. cal.B&B 60.0 | d 0 0 |
| LIQUIDAMBAR styraciflua (Sweet Gum). One of the best trees for autumn color and a most spectacula sight in the fall. Is of upright pyramidal growth 10 to 12 ft. high 1¾ to 2 in. cal.B&R 20.0 12 to 15 ft. high 2 to 2½ in. cal.B&B 35.0 15 to 16 ft. high 3½ to 4 in. cal.B&B 90.0 15 to 16 ft. high 4 to 4½ in. cal.B&B 110.0 15 to 16 ft. high 4½ to 5 in. cal.B&B 160.0 | r 1. 0 0 |

PLATANUS orientalis (Oriental Plane). Rapid growing, this tall snaue week street, or seashore planting.

15 ft high 2 to 2½ in. cal. BR ing, this tall shade tree is very impressive in a

12 to 15 ft. high 2 to 2 15 to 18 ft. high 2½ to 3 25.00 in, cal, BR 32.00

- QUERCUS palustris (Pin Oak). The shiny foliage on long-lived, popular specimen turns a rich scarlet in the fall. Has a symmetrical pyramidal head.
 - 10 to 12 ft. high 1¾ to 2 in. cal. B&R 10 to 12 ft. high 2 to 2½ in. cal. B&R 18.00 26.00 to 3½ in. cal.B&B 60.00 in. cal.B&B 90.00 to 4½ in. cal.B&B 110.00 15 to 18 ft. high 4

15 to 18 ft. high 4½ to 5 in. cal.B&B 160.00 15 to 18 ft. high 5 to 5½ in. cal. B&B 190.00 Q. rubra (Spanish Red Oak). The notched, glossy green leaves become splashed with warm crimson

red in autumn and hang on till spring. Most rapid

growing of all oaks.

12 to 15 ft. high 2 to 2½ in. cal.B&B
12 to 15 ft. high 2½ to 3 in. cal.B&B
15 to 16 ft. high 3½ to 3½ in. cal.B&B
16 to 18 ft. high 3½ to 4 in. cal.B&B
16 to 18 ft. high 3½ to 4 in. cal.B&B 40.00 65.00 in. cal.B&B 100.00 16 to 18 ft. high 4 to 41/2 in. cal.B&B 150.00

SALIX babylonica (Weeping Willow). This tree with its long pendulous branches, grows rapidly, es-

pecially when close to water. to 1½ in. cal. BR 8 ft. high 1 7.50 6 to to 1½ in. cal. BR 10.00 to 2½ in. cal. BR 20.00 to 2½ in. cal. BR 20.00 to 2½ in. cal. B&B 30.00 to 3½ in. cal. B&B 40.00 8 to 10 ft. high 1½ 10.00 10 to 12 ft. high 1% 10 to 12 ft. high 2 10 to 12 ft. high 2 10 to 12 ft. high 2 12 to 14 ft. high 3 20.00

APPROXIMATE PRICE OF SPECIMEN SHADE & FLOWERING TREES. NOT LISTED.

Planting approximately 50% additional.

| | L LU. | TECTIF | 5 աթ | proximatery | 30 /0 | auurtionai. |
|----------------|-------|----------------|------|-------------|-------|-------------|
| Ca | 1. | | | Approx. Ba | all | Price |
| 2 | to | $2\frac{1}{2}$ | in. | 24 in. | | \$ 30.00 |
| $2\frac{1}{2}$ | to | 3 | in. | 26 in. | | 40.00 |
| 3 | to | $3\frac{1}{2}$ | in. | 27. in. | | 60.00 |
| $3\frac{1}{2}$ | to | 4 | in. | 30. in. | | 90.00 |
| 4 | to | $4\frac{1}{2}$ | in. | 36 in. | | 110.00 |
| $4\frac{1}{2}$ | to | 5 | in. | 40 in. | | 160.00 |
| 5 | to | $5\frac{1}{2}$ | in. | 45 in. | | 190.00 |
| $5\frac{1}{2}$ | to | 6 | in. | 50 in. | | 200.00 |
| 6 | to | $6\frac{1}{2}$ | in. | 54 in. | | 250.00 |
| $6\frac{1}{2}$ | to | 7 | in. | 60 in. | | 300.00 |
| 7 | to | $7\frac{1}{2}$ | in. | 66 in. | | 350.00 |
| $7\frac{1}{2}$ | to | 8 | in. | 72 in. | | 400.00 |
| 8 | to | $8\frac{1}{2}$ | in. | 76 in. | | 450.00 |
| | | | | | | |

HARDY PERENNIALS and ROCK PLANTS

(R) Designates Plants Suitable for Rock Garden or Border Plantings.

Ea. Doz. AJUGA reptans (Carpet Bugle). (R) 6 to 8 in. Prostrate, with blue flowers from attractive foliage, May and June. A splendid ground cover. .50 5.00 35.00 ALYSSUM saxatile compactum (Basket of Gold).
(R) 9 to 12 in. Bright yellow flowers over silvery foliage in very early Spring. .50 5.00 35.00

ANCHUSA italica (Dropmore). 4 to 5 ft. Spikes of velvety blue in June and July; flower, but needs winter protection. excellent cut

A. myosotidiflora (Forget-me-not Flowered Bugloss (R) 12 to 15 in. Clusters of small blue flowers, like forget-me-nots, in late spring.

5.00

ANTHEMIS tinctoria (Perry's Variety 12 to 18 in.). Golden Marguerite. Golden daisy-like flowers with finely cut foliage, produced all summer. Excellent cut flower.50

AQUILEGIA (Mrs. Scott Elliott's Long Spurred Hybrids). Columbine. 2 to 3 ft. Amazing color range appears among these well-known, extra long spurred sorts. Best variety of Columbine.

Ea. Doz. 100 35.00 5.00

ARABIS alpina (R) White. 12 in. 5.00 35.00

ASTILBE. 1½ to 2½ ft. Fanel, intense red. .60 6.00 Deutschland, white. Queen Alexander, soft pink.

.50 5.00 35.00 ASTER (Michaelmas Daisy) Harrington's Pink-3 to 4 ft.

Snowbank—Large white. Sunset Pink—3 ft., pink.

Violette—Semi-double, deep rich blue.

White Lady—White.

DWARF ASTERS

Nancy-Dwarf flesh pink. Snowsprite-White.

Victor—Clear lavendar blue.

A. frikarti 2½ ft. A most attractive hardy Summer Aster of neat, upright branching growth. Bears a profusion of large, showy lavender-blue flowers from mid-August to October. .60 6.00

BAPTISIA (Australis). False Indigo. 3 ft. A strong-

AMPANULA (Medium). Canterbury Bells. A biennial of pyramidal growth, covered CAMPANULA large, bell shaped flowers in separate colors. Blue, 5.00 35.00 pink, white. May - June.50

CAMPANULA persicifolia. 2 ft. Blue. June & July.

CERASTIUM tomentosum (Snow-in-Summer). A large-growing plant with silvery white

CHRYANTHEMUMS (in 4 in. pots.) (Only for spring planting.)

Aristocrat—Wine, large flowering. Avalanche—White, large flowering. Avalanche—Yellow, large flowering. Betty—Pink Daisy. Courageous—Red, large flowering.

Coppersmith—Bronze, large flowering.
Charles Nye—Yellow, large flowering.
Evelyn Devaney—Shell Pink, large flowering.
Fireside—Burnt Orange, decorative pom pom.
Harvest Bronze—Apricot Bronze, large flowering.
Lavender Lady—Lavender, large flowering.
Mayflower—Soft Pink, solid pom pom.
Pepita—White, button pom pom.
Petrisian Rose—Lavender Rose, medium pom pom.
Plainsman—Orange Bronze, large flowering.
Tapestry—Salmon Pink, large flowering.
Yellow Blanket—Yellow, button.

c. Dwarf Cushion (Hardy Chrysanthemums). 1½ ft. Also called Azalea mums. A dwarf, compact type covered with hundreds of flowers from early till late in the season. Forms a low compact plant resembling an Azalea. (Only for spring planting).

Champion—Deep Bronze

Champion—Deep Bronze.
Golden Carpet—Yellow.
Glow Worm—Orange Scarlet.
Major—Lavender.

Major—Lavender. Osage—White.

- C. astrid 2 ft. A distinct very hardy variety. Single flowers of a lovely shade of shell-pink, with bronzy tints and bright yellow centers.

 50 5.00 35.00
- C. maximum New Giant Double White. Fine for cutting. Flowers are about 5 inches in diameter and have the appearance of a giant Aster.

DIANTHUS (Hardy Pinks).

- Sweet William (Newport pink). 1½ to 2 ft. A distinct variety in a favorite color, salmon-rose.

- Deltoides (Brilliant). (R). 6 in. A beautiful little prostrate plant with narrow leaves and bearing a profusion of small, glowing crimson-red flowers. Excellent rock-plant. June, July.

 .50 5.00 35.00

DELPHINIUM HYBRIDS.

We have specialized in these Delphinium Hybrids, for 25 years and believe our strain will compare favorably with other strains. These hybrids produce spikes 5 to 6 ft. high with 3 to 4 ft. flower spikes. Field Clumps

.60 6.00 45.00

- D. belladonna (Larkspur). 2 to 3 ft. One of the most beautiful perennials, noted for its stately spikes of light blue flowers. June October. .50
- .50 D. bellamosum, dark blue. 5.00 35.00 Ea. Doz. 100
- D. Spectabilis (Bleeding Heart). 2 to 2½ ft. An oldfashioned favorite with long racemes of very attractive, graceful, 'eart-shaped pink flowers. .75

DIGITALIS (Foxglove).

Giant Shirley. Mixed. 4 to 4 ft. This is a magnificent strain, attaining a height of from 4 to 5 ft. with spikes of bloom 3 ft. long. Flowers from purest white to rose-pink, spotted with crimson-maroon and chocolate. June, July.

.50 5.00 35.00

- EUPATORIUM Coelestinum, (mist flower). 2 ft. A fine hardy plant with light blue flowers similar to the ageratum. Excellent cut flower. 35.00
- FUNKIA variegata (Plantain Lily). (R.) 2 ft. An old fashioned plant that will thrive anywhere in border, rockery, marsh ground, or shade. One of the best Funkias. It has ovate leaves, the mar-gins deep green and center a beautiful creamy white. Purple flowers. July, August. .50 5.00 35.00
- GAILLARDIA (Blanket Flower). 1½ to 2 ft.
 Grandiflora. One of the most desirable hardy
 plants in cultivation, and its brilliancy is unsurpassable. Yellow and orange-red flowers. May-November.

A dependable English variety Sherbrook. May to 5.00 35.00 October.

- GEUM. Mrs. Bradshaw (R), yellow buttercup-like .50 flowers. 5.00
- GYPSOPHILA (Baby's Breath). 2 to 3 ft. Bristel Fairy. Produces large panicles of double white flowers in which the individual bloom is larger than Paniculta, and a purest white.
- HELIOPSIS (Orange Sunflower). 3 ft. Pitcheriana. Flowers a beautiful deep golden yellow, diameter about 2 inches, very thick in texture. Keeps a very long time cut. July, August. 5.00 35.00
- **HELIANTHUS** (Double Sunflower). 3 to 4 ft. Multiflorus fl.-pl. Double Hardy Sunflower, golden yellow, dahlia-like flower about 3 inches in diameter. One of the best varieties. Excellent cut-flower. August, September. 5.00 35.00

24 HEMEROCALLIS (Giant varieties). Day Lillies.
Very graceful and stately plants, excellent for
the waterside, naturalizing, or growing in the
partially shaded border. Long narrow leaves and yellow or orange flowers. golden yellow. 21/2 ft. Rich Betscher. August. Donald Wyman. Very large orange flowers, the center petals shaded mahogany. Mid-season.
Goldeni. Deep golden orange flowers. June-July.
Gypsy. Large reddish orange flowers with very broad petals. Mid-season.

Helios. Clear canary-yellow. May-July.

J. A. Crawford. Large golden yellow flowers of fine form. June-uly. fine form. June-uly.

Modesty. Large pale yellow.

Kwanso, fl. pl. Double orange. Mid-season. 3 ft.

Mrs. H. W. Wyman. Round golden flowers. Very distinct. July.

Margaret Perry. 3 ft. Brilliant orange-scarlet with a yellow line through each petal. July-August.

Sovereign. 2½ ft. Lemon-colored flowers of fine form. June. The Gem. Low-growing variety with flowers of deep gold. June. Dr. Regel. 1½ ft. Handsome, rich orange-yellow flowers, very fragrant and fine for cutting. May, June. Gold Dust. Rich coppery yellow buds; bright yellow flowers, tinged red. May-June. HEUCHERA (Alum Root). 2 ft.

Sanquinea (R) Neat-growing and graceful flowering perennials yielding an abundance of dainty, bell-like blooms in panicles. Attractive heart shaped leaves. Light pink flowers. June-July. .50 HOLLYHOCKS 6 to 8 ft.

Double-flowered. This well known perennial with tall, stately spikes of handsome flowers makes a wonderful effect. Separate colors. Yellow. pink, red salmon, white, maroon. IBERIS. Sempervirens (R), clusters of glistening white flowers.50 5.00 35.00 Snow Flake (R), dark green foliage, white flowers. 5.00 Ea. 100 Doz. IRIS GERMANICA (Flag Iris). 2 to 2½ ft.

One of the finest perennials of very easy culture. In June and July it throws up spikes of blooms that rival the orchid in delicacy of structure and exquisite blendings. Autumn Queen. Lavender 5.00 Blue Shimmer. Handsome 10.00 clear blue. 1.00 Bryce Canyon. Large reddish-brown, touched with 1.00 10.00 henna. . Crusader. Lavender blue.50 5.00 Goldbeater. Striking deep

..... 1.00

10.00

golden yellow.

| TURNER BROS. | | | 25 |
|--|-------------------------------------|---|---|
| | Ea. | Doz. | 100 |
| Golden Fleece. Large creamy yellow. | 1.00 | 10.00 | ********** |
| Golden Majesty. Fine golden yellow. | .50 | 5.00 | ********** |
| Grand Canyon. Plum copper and gold. | | 10.00 | ******************* |
| Great Lakes. Finest light blue. | | 7.50 | ************ |
| Gundrun. Large white, springled gold. | | 5.00 | *********** |
| Lady Nohr. Huge oyster- white, chartreuse falls | | 10.00 | |
| Melitza. Glorious salmon- ivory. | .75 | 7.50 | |
| Mount Cloud. Clear cut white flowers. | | 7.50 | |
| Mme. Louise Aureau. Deep | | | 00000000000 |
| purple plicata. | | 7.50 | |
| Mrs. Brewster. Blue Prairie Sunset. Blendings | | 5.00 | ************ |
| peach, apricot, rose and gold. | 1.50 | 15.00 | |
| Pumila. Canary Bird dwarf yellow | .50 | 5.00 | *************************************** |
| Ranger. Very dark crimson-red. | 1.50 | 15.00 | *************************************** |
| Snow Flurry. Snowy white. | 1.00 | 10.00 | *************************************** |
| Snow White. White. | | 5.00 | |
| Sylvia Murray. Enormous pale blue. | 1.00 | 10.00 | ********* |
| Ultra. Deep marine blue | | 5.00 | |
| Violet Symphony. Gleaming lilac-mauve. | | 5.00 | |
| IIIac-IIIauvc | | 0.00 | |
| | Ea. | Doz. | 100 |
| A magnificent family of t foliage and large flowers from 10 to 12 inches at held horizontally. The blo the Germanica Iris and an | he Iris some cross. ooms a | s, with att times me Their fa appear jus | tractive asuring alls are st after |
| Distinction. Light lavender-pink. | | | |
| Betty F. Holmes. Huge wh | | | |
| Flamingo. Deep red with w | | enter. | |
| Gold Bound. Best double v | | | |
| Mahogany. Large, deep petals. | | | |
| Michael Jacobs. Large, flowers, splashed violet, w | double ith de | e, dark ep golden | purple throat |
| Norma. Double, lavender-pi Purple and Gold. Double; 1 | rich vi | | le, with |
| conspicuous golden throa | | | |
| Red Emperor. Large deep | | E 00 | 35.00 |
| | .50 | 5.00 | |
| LAVENDULA (Sweet Lavend | er). B | iue flower | s 18 in. |

.50 5.00 40.00

LINUM (Flax). (R). 12 to 15 inches. Very attractive in both foliage and bloom. Flow-

LIATRIS (Gayfeather).

Scariosa, 3 to 4 ft. Purple flowers on long spikes. June-July.

LUPINUS (Lupine).
Russell Hybrids. 3 ft. Perfect spikes of flowers in colors never before seen in Lupines. Strong .50 plants. 5.00

LYTHRUM (Purple Loosestrife).

Morden's Pink. The plant grows to a height of
3 to 4 ft., and bears dozens of spikes covered
with deep Phlox-pink florets from June to late September. Lythrum can be grown anywhere. Very hardy. It does well during the dryest weather but comes to perfection in a moist, sunny location where it develops into a magnificent showy clump 3 feet across or more. Excellent summer flowering perennial.

.75 7.50

NEPETA. (R).

Mussini. A dwarf, compact plant useful for edg-ing the border or walk, and is suitable for massing in rockery. Foliage silvery gray. Plant covered with hundreds of little lavender-blue flowers in spring and intermittently all summer.

.50 5.00

Ea. Doz. 100

PLATYCODON

Grandiflorum (Bellflower). 1 to 2 ft. Closely related to the campanula, this perennial makes a fine display with its star-like flowers and ballonlike buds. June-July.50 5.00 35.00

PLUMBAGO. (R). 6 to 12 inches.

Larpentae. One of the finest dwarf, spreading plants for rockery, border, or edge of pool. Deep blue flowers and leathery, heart-shaped leaves of bronzy green which turn reddish brown in fall. August-September.

> .50 5.00 35.00

PEONIES. 3 to 4 ft.

Edulis Superba. Large dark pink, even color; large loose, flat crown when fully open. Very fragrant; upright growth; early bloomer. of the best commercial Peonies.

Felix Crousse. Very brilliant red. Medium to large, globular, typical bomb shape; fragrant strong growth. Mid-season.

Festiva Maxima. Paper-white, crimson markings in center. Very large and full rose type; very tall, strong growth. Early.

> Clumps 1.00 10.00

PHLOX (decussata).

A very showy and extremely useful class of hardy Phloxes. They are easy to grow and deserve a prominent position in every border.

Beacon—Cherry red.

Caroline Vandenberg—Blue.

Enchantris-Birght salmon pink.

Flash—Red.

Miss Lingard—Early white.

Painted Lady—Pink red eye.

Spitfire—Burnt orange.

Von Lessburg—Large pure white.

.60 6.00 45.00

Other Phlox Varieties.

Divaricata — Mauve. (R).

Emerald Cushion Pink — Mats of sparkling pink
blossoms over emerald-green foliage. (R).

Emerald Cushion Blue—Blue form of above. (R).

Emerald Cushion White. .50 5.00 35.00

POPPY, ORIENTAL.

PY, ORIENTAL. 2 to 3 ft.

Nothing can surpass the Poppies for a display of brilliant color during their flowering period. Whether planted singly or in masses, their large flowers and freedom of bloom render them conspicuous in any position. May-June.

Orange-apricot. .50 5.00 35.00 .50 5.00 35.00 Shades of pink. Brilliant orange-scarlet.50 5.00 35.00

PRIMULA (R).

Munstead Giants. A choice strain of the Polyanmus type of Primrose with flowers varying from clear yellow to yellow and maroon. is a dependable strain and very easy to grow.

5.00

PYRETHRUM (Painted Daisy).

RETHRUM (Painted Daisy). 2½ ft. ngle, Mixed. Showy flowers of all shades of color, except blue and yellow, freely on long stems throughout the summer, but are at their best in May and June. Good cut-flower. Single, Mixed.

5.00 35.00

Doz. 100 Ea.

RUDBECKIA (Coneflower). 3 ft.

Purple Coneflower. Most attractive Purpurea. purple flower, with large, cone-shaped centers of brown and gold. July-October.

> .50 5.0035.00

SALVIA PITCHERI. Large gentian blue flowers. 6.00 .60

SANTOLINA (R). 12 to 15 in.

Chamaecyparissus. Sweet-scented, dwarf evergreen

SCABIOSA (House Hybrids). Light blue.

.505.00 40.00 SEDUM

Kamtschaticm (R). Orange-yellow flowers with prostrate green foliage, turning golden in

prostrate green 1011age, turning autumn. July - August.

Spectabile. One of the prettiest, erect-growing species, with broad, light green foliage and immense heads of handsome rose-colored flowers. 1½ ft. August-September.

Spectabile. Brilliant. Same as above, but deep

STATICE. (R). 12 to 18 inches.

Latifolia. The leathery, dark green leaves spring directly from the root-stock and the minute, feathery flowers are produced in immense heads frequently measuring 2 ft. across. The flowers are purplish blue. July-August.

> 5.00 35.00

STOKESIA (Cornflower Aster). 1½ to 2 ft.

Cyanea. A handsome, light blue, Aster-like
flower, produced in great profusion late in sea-5.00

THERMOPSIS. 3½ ft.

Caroliniana. During June this showy variety has large, full spikes of bright yellow flowers closely resembling the lupines.

5.00

TEUCRIUM CHAMAEDRYS (Popular Perennial Hedge). Glossy green foliage, resembling dwarf Boxwood. Can be trimmed.

> .50 5.00 35.00

THYMUS (R). 3 to 4 ft.

Serpyllum coccineus. Bright red. Dwarf-growing prostrate, creeping perennial rock-plant, with fragrant foliage and covered with bright red flowers in June and July.

pink flowers.

TRITOMA

Pfitzeri. Rich Chinese-red and yellow spikes 4 ft. high from August to October. Hardy.

.50

T. PRIMOSE BEAUTY. Pure yellow.

.50 5.00

HARDY VINES

PELOPSIS quinquefolia. Virginia Creeper. 40 to 50 ft. Handsome native vine. This rapid and vigorous grower holds beautiful large leaves, which turn bright crimson in the fall. Bears AMPELOPSIS blue-black fruits.

2 yr. trans. 18 to 24 in.

AMPELOPSIS veitchi. Boston Creeper. Most popular vine.75 ea.

- to 20 ft. Bright orange and scarlet fruits on a rapid growing vine. 1.00 ea.
- LONICERA. Golden Flame Honeysuckle 1.25 ea.

SILVER LACE VINE 1.00 ea.

GROUND COVERS

CONVALLARIA majalis (Lily-of-the-Valley). 8 to 10 in. Popular; sprays of fragrant, waxy white floral bells in late Spring. Splendid for cutting. Best in shade. One of the most familiar hardy Perennials. (R).

\$3.00 per 10 — \$25.00 per 100

- PACHYSANDRA (Spurge). 6 to 8 in.

 Termanalis. One of the most valuable evergreen ground-covers for dense shade or sun, border walks, steep terraces, or under any kind of trees. Its bright, glossy, green leaves are very abundant.
- 2½ in. Pots—\$1.80 per 10; \$16.00 per 100; \$150.00 per 1000.
- 3 in. Pots—\$2.50 per 10; \$20.00 per 100; \$180.00 per 1000.

VINCA (Trailing Myrtle). (RP).
Minor. A trailing evergreen plant used for carpeting the ground under shrubs or trees where it is too shady for grass or other plants. Dark green, glossy foliage. Lilac-blue flowers. April, May.

\$2.50 per 10 \$20.00 per 100 \$180.00 per 1000

EVERBLOOMING HYBRID TEA ROSES

| three | dozen | |
|--------------|---|--|
| 3.90 | 15.50 | |
| 4.65 | 18.50 | |
| 5.25 | 21.00 | |
| 6.60 | 26.50 | |
| 7.20 | | |
| ure white | | 2.25 |
| ora), Canai | ry yellow | 2.50 |
| p crimson | | 1.75 |
| nk, well for | med buds | 2.25 |
| nk, peach a | nd yellow, large | 2.25 |
| | | 2.50 |
| | right and rich, | • • • • |
| | | 3.00 |
| | | 2.50 |
| ich salmon- | pink, light | 2.50 |
| t minds and | mald. | 2.75 |
| - | goia | 2.75 |
| | | 2.25 |
| | iont goowlot | 4.43 |
| iora), brili | iant scariet | 2.75 |
| ed shaded o | rimson | 2.25 |
| | | 2.50 |
| | | 2.25 |
| , 0 | | 2.50 |
| | | 2.00 |
| , , | | |
| | | 2.25 |
| | | |
| | 3.90 4.65 5.25 6.60 7.20 are white ora), Canar p crimson nk, well for nk, peach a cot and pore ar yellow, b and orange ich salmon- t pink and a arkest red , large bud lora), Brill ed shaded o w, etched p r, Bright re ly yellow, l pink, fragra | 3.90 15.50 4.65 18.50 5.25 21.00 6.60 26.50 7.20 are white ora), Canary yellow p crimson nk, well formed buds nk, peach and yellow, large cot and porcelain pink ar yellow, bright and rich, and and orange, large and firm ich salmon-pink, light t pink and gold arkest red |

FLORABUNDA ROSES

| Circus, Multicolored floribunda, red, yellow, | 2 20 |
|---|------|
| and orange buff and pink | 2.50 |
| Fanfare, Coral-orange | 2.00 |
| Floradora, Orange-red | 1.50 |
| Irene of Denmark, Best white | 1.75 |
| Red Favorite Bright red | 1 75 |

CLIMBING ROSES

| Blaze. Everblooming red | 1.50 |
|-----------------------------|------|
| Elegans. Yellow. (Pat.) | 2.00 |
| Golden Climber. (Pat.) | 2.00 |
| Golden Glow. Yellow. (Pat.) | 1.75 |
| Mary Wallace. Pink | 1.50 |
| New Dawn. Pale pink | 1.50 |
| Glendale, White | 1.50 |

HARDY LILIES

(Potted for spring planting)

LILLIUM Auratum, Golden Band Lily of Japan.

Large fragrant white flowers with golden band down center of each petal. Flowers in August. Plant so top of bulb is covered with 7 to 8 in. soil.

\$.75 each \$7.50 dozen

- L. Candidum. Madonna Lily. \$.75 each \$7.50 dozen
- L. Estate. Pure white trumpet 4 ft. \$1.00 each \$9.00 dozen
- L. Olympic Hybrids. Improved Regale, 2½ ft. \$.75 each \$ 7.50 dozen
- L. Regale. One of best lilies. Slender stems crowned with several large funnel-shaped flowers, wine-colored outside, white within, yellow within tube. Flowers July. Plant 8 in. deep.
 \$.75 each \$ 7.50 dozen
- L. Speciosum rubrum. Handsome heads of flowers with reflecting petals of pink spotted red. Flowers in Aug. and Sept. Plant 5 to 6 in. deep.

 \$.75 each \$7.50 dozen
- L. Speciosum Album. White. \$1.00 each \$10.00 dozen





